

2024 - 2025 CATALOGUE



**UNLEASH YOUR
POTENTIAL**

ROSTAING

UNLEASH YOUR POTENTIAL

**Building, growing, processing,
protecting, helping, ...**

**We are responsible designers
and manufacturers of Proven and
Accessible Protective Equipment.**


As human beings, we have an overpowering need to **DO** things. To progress, to do good, to do one's best, to do one's duty, or just for pleasure.

And to do that every day, you need to be able to concentrate on **the essentials**, ...

At **Rostaing**, the French protective glove experts, we make sure that your hands have more power for all your activities, without fear or danger.

And because you are also concerned about your everyday impact on the planet, we are committed to an **eco-design** approach to create innovating and certified products, using **sustainable raw materials** and production that is ever closer to home.

**So treat yourself. Surpass yourself!
Focus fully on what you're doing
right now and make it happen.**



We're at your side to unleash your potential.

YOUR NEW PRODUCTS FOR **2024**

Our innovation comes from the field,
we like to surprise and please you, it's our energy,
what we work for.

PRONATUR

2 new products for landscapers and nature lovers.

The STEEPLEJACK* glove (page 17) for all work on ropes and at height (pruning, trimming, etc.).

The THERMALIGHT** glove liner (page 16), which can be worn under all gloves for extra comfort and thermal insulation in cold weather.



HANDLING

CUTFOOD gloves, cuffs and aprons (page 36) are innovating cut-resistant products that meet all the protection and comfort needs of agri-food sector professionals.

TACTICAL

With 10 new gloves (page 42), security professionals will find the glove to suit their needs (pat-down, security, law enforcement, intervention, rope access, weapons handling, etc.).



FIRE-FIGHTERS

Our fire-fighter gloves are upgrading with a complete line (page 58). Whether for structural fires, wild fires or traffic rescue operations, the "shield" ergonomics of this new line optimise our fire-fighters' comfort and protection.

INDUSTRY

Our line of para-aramid products for industry has been extended to include an ergonomic, strong heat protection cuff (page 78) and a glove with strengthened puncture protection (page 74).

ONTARIO* (page 100), designed specifically for logistics activities in cold environments and outdoor winter work, completes our offer.

FULLSENS** (page 82), the thinnest on the market with the best cut performance (level F), is also available in a knitted only version (page 80).



DURANIT

Two new products have been added to the ultra-strong DURANIT line. DURANIT-IMPACT* (page 68) for standardised protection from impacts on the back of the hand. DURANIT-DRY** (page 74) for extended protection from water and oil on the back of the hand.



BATIPRO

The BLACKTOP glove (page 17) has been added to the line following many spontaneous testimonials from workers at height in the building industry!

HEATING

Our innovating, responsible approach heating concept (page 98) proposes a glove, a glove liner and a remote electronic system that increases the durability of the solution. Rostaing also recovers and recycles defective or worn systems.



SUPERHEROSTAING

An innovating new line of 6 "superpower" gloves for 6-11 year-olds! The kids will want to copy the grown-ups, and will keep their gloves on for DIY, gardening and all other leisure activities (cycling, scootering, climbing, etc.). check them out on page 110.

GARDEN

2 new specific cold environment products (page 127): COCOON*, made from recycled polyester, is suitable for positive cold and can be used as a glove liner or as a stylish leisure glove. MONTBLANC**, a vintage style leather glove lined with fleece, is ideal for use in negative cold temperatures and for winter garden maintenance.



TOUCH

2 new additions to our touch line: MAXIMPACT* (page 132), standard shock-resistant and visible thanks to its orange colour. MAXSAFE** (page 130), an innovating washable glove that provides protection from viruses and bacteria. It is long-lasting and keeps its properties for up to 100 washes.

Help us grow by sharing your experiences and telling us about your new needs:

contact@rostaing.fr



All information in this catalogue is current as of July 2023. The digital version will be updated regularly.

08
Our values
and commitments

14
Your professional
worlds

148
Your gloves
by risk

170
Your services

178
Your store solutions

192
Your contacts





12
The
standards

108
Your private
worlds

168
Your additional
products

172
Your product line
effects

180
Bar codes
and index





All our references featuring a **B** are gloves that are available in a pin display version



MAKE SURE IT FITS YOU LIKE A GLOVE

To do that, just put
your hand on the
model to find your
glove size.





OUR DNA

Created in 1789, Rostaing is committed to protecting the hands and lives of industry workers. Today, our vocation is to protect all hands, in all universes from all risks. The ROSTAING brand carries this mission through the commitment of its teams and the passion of every employee. We strongly believe that a company is not just a workplace but also somewhere we can feel useful and where it is important to share life values. Our CSR policy reflects our values and defines the policies which make it possible for us to limit our impact on the planet.

OUR CORPORATE COMMITMENTS



Putting people at the heart of our Group policy. Since 2019, ENDOGENE has been working with us to towards human cohesion and performance, the success of the teams and the growth of the ROSTAING Group.



In 2019 we were among the first companies to sign up to this RFAR label, which recognises companies that have demonstrated **sustainable and balanced relationships with their suppliers**. For this first and only label awarded by the public authorities, we are audited annually by an approved body.



As a signatory, we have submitted a "Communication on CSR Progress" report every year **since 2016**. This communication provides a detailed description of our actions in the fight AGAINST child labour, forced labour, corruption, and FOR the protection of the environment and biodiversity.



Obtained and renewed **since 2009**, this certification guarantees a **quality management** system and provides a solid framework for our organisational processes so that we can give our customers ever-better service and satisfaction. We measure the efficiency of our processes as part of a continuous improvement policy.



Obtained and renewed **since 2015**, this certification defines the criteria for an **environmental management** system. It allows us to identify our environmental impact and plan actions to reduce it. The standard is audited and challenged every year.



Since 2014, we have been providing all the information needed to carry out this assessment. The rating criteria cover Policies, Actions and Measures for each of four categories: Environment, Social and Human Rights, Ethics and Responsible Purchasing. In 2023, we were awarded the silver medal and we are aiming for gold in 2024.



This organisation provides precise assessments of **the carbon impact of businesses**. This number is a starting point to make it possible to measure annual improvements.



Since 2023, we have been a member of the Sedex database, which is used to share information on ethically sustainable production in the supply chain. The result is an improvement in ethically responsible business practices.

OUR CHALLENGE TO EVERYONE!

ROSTAING proposes gloves to protect every hand, in every situation. Gloves made to last, specific to each activity, both for professionals and private individuals alike.

Our company has a resolutely responsible approach to its activity, taking into account social and environmental issues. We believe that we need to gradually transform the way we live and produce. This requires a strong sustainable development policy, which is intended to **meet the needs of the present without compromising the ability of future generations to meet their own needs.**

A PRODUCT OFFER THAT REFLECTS OUR VALUES

1 Contributor to the health of the planet and of Mankind

Better known as forever chemicals, over 4,700 chemicals contain PFAS. Used in everyday products for their non-stick, waterproofing and strong heat-resistant properties, PFASs accumulate in the organism and the environment over time. They can cause health problems. We are investing and are committed to sourcing raw materials for the design of PFAS-free gloves.

For more information:



2 Protect all hands

As a hand protection specialist, we are committed to protecting every hand, including those of the disabled. Rostaing has a made in France bespoke glove design department. It is a solution that makes it possible for people to return to work.

Contact us: contact@rostaing.fr



3 Our product quality

This is the first guarantee for extended use and reduced waste. At Rostaing, protective gloves are not just a basic consumable, but a quality technical product with real built-in durability. All our raw materials are tested by our in-house laboratory.



5 Only buy what you need!

We don't wear out left gloves and right gloves in the same way. To avoid wastage, on certain products we provide the option of only ordering the glove that needs replacing.



4 Proximity: ecology and economy

Over 50% of our business is covered with products manufactured in our own factories less than 2000 km from where you are!

Rostaing has manufacturing sites in France and Morocco and over 80% of our raw materials are European. Finally, our factories are BSCI-audited.



6 The guarantee of washable gloves

We design protective equipment that keeps its shape. Rostaing gloves are washable and keep their properties throughout their life cycle. Hand washing, machine washing or industrial washing, each glove has its own care instructions.



OUR ENVIRONMENT, OUR COMMITMENTS!


A FIRST STEP TOWARDS ENVIRONMENTAL LABELLING

As the textile industry is one of the biggest polluting industries in the world, **Europe is getting ready to deploy environmental labelling starting in 2024**, which will allow consumers to prefer clothes that are better for the environment and companies to rethink their design and production methods.

EXAMPLE OF AN ENVIRONMENTAL IMPACT CALCULATION

Rostaing, an impact calculation pioneer, uses the calculator developed by La Belle Empreinte, which we use to measure the water consumption and CO₂ emissions needed to manufacture and use the glove throughout its life cycle.

You can't reduce without measuring. **We now give you the CO₂ equivalent weight of your pair of gloves.** We are committed to finding the best solutions to reduce this impact for you and the planet. You will be able to rely on factual, conclusive results that will make it easier to calculate your own carbon footprint and give consumers the power to make informed choices. Just saying you're transparent isn't enough: you have to be transparent.



Explanation: Our pair of EPS7BPA gloves has a carbon impact of 0.8 kg CO₂ eq. compared with 1.5 kg for most equivalent models on the market. We can achieve better results if we install a renewable energy system on the roofs of our plants (2025 project: photovoltaic panels). **Why is CO₂ the main indicator?** It is the main cause of global warming due to its excessive quantities.



Several Rostaing products are OEKO-TEX STANDARD 100 certified.

This is one of the Oeko-Tex label technical standards which certifies the absence of any toxic substances in textile products.

FIND OUT MORE



All our leathers come from LWG-certified environmental performance tanneries. This is an international benchmark certification covering the environmental performance of tanneries (energy and water consumption, discharges into water, atmospheric emissions, etc.).

FIND OUT MORE



PROTECTIVE GLOVES: THE STANDARDS



EN ISO 21420: General requirements. Published in April 2020

This is the reference standard that defines the general requirements and test methods covering the design and construction of the glove, its harmless nature and the markings and information provided by the manufacturer which are applicable to all protective gloves.

EN 388: Mechanical risks. Published in 2016 with an A1 amendment in 2018.

Performance levels are checked for the **palm** of the glove.

EN388	Performance level	1	2	3	4	5	
4231DP	Abrasion resistance (number of cycles)	100	500	2000	8000	/	
	Cutting by slicing resistance (index)	1.2	2.5	5	10	20	
	Tear resistance (N)	10	25	50	75	/	
	Perforation resistance (N)	20	60	100	150	/	
	ISO 13997	A	B	C	D	E	F
	Cutting resistance in N	2	5	10	15	22	30
	Impact protection (joint protection)					1 (P)	
	Expected result					≤ 7.0 kN	

EN 407: Thermal risks (heat and/or fire). Published in April 2023

EN407	Performance level	1	2	3	4
41324X	Fire behaviour	≤2.0	≤10	≤ 3	≤ 2
	Flame persistence time (in seconds)	no criteria	≤ 120	≤ 25	≤ 5
	Residual incandescence time (in seconds)				
	Contact heat:				
	Contact temperature (in °C)	100	250	350	500
	Limit time (in seconds)	≥15	≥15	≥15	≥15
	Convective heat: time for the temperature to rise by 24°C	≥4	≥7	≥10	≥18
Radiating heat: time for the temperature to rise by 24°C	≥7	≥20	≥50	≥95	
Minor liquid metal spray:					
number of drops for a rise in temperature of 40°C	≥10	≥15	≥25	≥35	
Major molten metal spray:					
Molten iron, in grammes, poured on the material without damaging the PVC sheet	30	60	120	200	



EN 12477: Welders.


It specifies the requirements and test methods applicable to protective gloves used for welding and manual metal cutting.

Gloves classified into 2 types:

Type A

Low dexterity with the other performances higher - Dexterity (EN420) Level 1 out of 5


Minimum requirements



Type B

High dexterity with the other performances lower - (EN420) Level 4 out of 5

Minimum requirements



Resistance to convective heat is tested on the palm, back and cuff. Resistance to minor molten metal spray is tested on the back and the cuff.

EN 511: Thermal risks (cold)



Performance level	0	1	2	3	4
Convection cold thermal insulation I_{TR} in $m^2 K/W$	-	$0.10 \leq I_{TR} \leq 0.15$	$0.15 \leq I_{TR} \leq 0.22$	$0.22 \leq I_{TR} \leq 0.30$	$0.30 \leq I_{TR}$
Contact cold Thermal resistance R in $m^2 K/W$	-	$0.025 \leq R \leq 0.050$	$0.050 \leq R \leq 0.100$	$0.100 \leq R \leq 0.150$	$0.150 \leq R$
Leak test for water	The glove is not waterproof	The glove is waterproof		-	-

EN16350



EN 16350: Electrostatic properties

This standard indicates the test methods and requirements applicable to electrostatic dissipation gloves to reduce explosion risks to a minimum in flammable zones.

EN13594



EN 13594: Motorcyclists

This standard indicates the requirements in terms of size, ergonomics, harmlessness, mechanical properties, shock protection, marking and information for motorcyclist gloves.

For example: Level 1 KP: Protection of the hands from abrasion for 4s and protection of the joints (Shock resistance).



Standards for fire-fighters

	NF EN 659	ISO 15383
GENERAL REQUIREMENTS	Chrome content (VI)	< 3mg / kg.
	Dexterity	Level 1: Grip diameter Ø11 mm. CIVIL PROTECTION LABEL: Level 3 (Ø8 mm).
EN 388 MECHANICAL REQUIREMENTS	Abrasion	Level 3: Test performed on the palm.
	Cuts	Level 2: Test performed on the palm and back.
	Tears	Level 3: Test performed on the palm.
	Perforation	Level 3: Test performed on the palm.
	Cuts as per ISO 13997 TDM	No level requirements. CIVIL PROTECTION LABEL: 13 N (Tested on the palm, back and vein patch).
EN 407 THERMAL REQUIREMENTS	Flame behaviour	Level 4: Test performed on the palm and back.
	Convective heat	Level 3: Test performed on the palm and back.
	Radiant heat	Level 2: Test performed on the back.
	Contact heat	Level 2: Test on the palm, in dry and wet conditions.
	Lining material heat resistance	At 180°C, the lining must not melt, form drops or catch fire.
	Heat shrinkage	At 180°C, the glove should not shrink by more than 5%.
	Seam breaking force	F >_ 350 N.
OTHER REQUIREMENTS	Complete glove integrity tests	Waterproof glove with membrane: Immersion of the glove. No leaks observed.
	Water penetration	Optional.
	Washing pre-treatments	NF EN ISO 6330: if a washing pre-treatment is specified as an integral part of the operating procedure or performance requirement.
	Grip test / Gripping	No requirements.
	Colour	No requirements. CIVIL PROTECTION LABEL: For type C gloves, R red-orange".



Standards for chemical and pesticide risks: see page 33



More information about the standards.



Every PPE supplier is bound to make the Declaration of conformity for the glove available. To get it, download it from our website.

Protecting fauna & flora

HARVESTING

- 16. HMPS7BP
- 16. THERMALIGHT
- 16. ONTARIO
- 17. FOREST
- 17. CORDIST
- 17. BLACKTOP

PLANTING

- 18. SEQUOIA
- 18. BASIC
- 18. EVO13

PRUNING

- 20. ROSERAIE
- 20. EM25A
- 20. SARMENT
- 20. IVERNO

BRUSH CLEARING

- 21. RONCIER
- 21. OPTIPRO
- 21. T.70X135

FITTING OUT

- 22. DURANIT-ONE
- 22. MIDSEASON
- 22. MACPRO
- 22. WINTERPRO
- 23. STRONGER
- 23. CLOTURE
- 23. SOLIDO

SORTING & RECYCLING

- 24. BLACKNIT
- 24. LIQUIDO
- 24. RIPEUR/CO

CLEANING

- 26. STOP-OIL
- 26. STOP-OILCUT
- 26. WETPRO
- 26. SNITRILE

CARING

- 27. ANIMALYST
- 27. RONCIER





HARVESTING

HMPS7BP

Planting and control

- VALIDATED BY FORESTERS
- REINFORCED VEIN PROTECTION
- TIGHTENING ELASTIC AT THE WRIST



SIZES: 7 TO 11
COMPOSITION:
 Goat leather, polyester



B THERMALIGHT

Work glove liner

- INSULATES FROM NEGATIVE COLD (-5°C)
- USED AS A GLOVE LINER, IMPROVES THERMAL COMFORT
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 6 TO 11
COMPOSITION:
 Polypropylene, elasthane

2016/425 MINOR RISKS



ONTARIO

Outdoor work in cold weather

- INSULATES FROM NEGATIVE COLD (DOWN TO -10°C)
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY
- TIGHTENING ELASTIC AT THE WRIST



SIZES: 7 TO 11
COMPOSITION:
 Cow leather, recycled polyester





HARVESTING

B FOREST

Logging and pruning

- VALIDATED FOR THE REDUCTION OF MSD
- VIBRATIONS ABSORBED BY THE REINFORCEMENT FOAM
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



SIZES: 8 TO 11

COMPOSITION:

Cow split leather, goat leather, polyester Ripstop, D3O®



B CORDIST

Work at height

- IDEAL FOR PRUNING AND MAINTAINING PLANTS
- INCREASED SERVICE LIFE FOR ROPE PASSAGE
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 6 TO 12

COMPOSITION:

Goat leather, polyester, Neoprene



B BLACKTOP

Thinning, winching and rope work

- MAXIMUM CUT RESISTANCE (**32.1 N**)
- GRIP IN OILY CONDITIONS
- HIGHLY PERFORATION RESISTANT



SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres





B SEQUOIA

Planting, digging and weeding

- VALIDATED BY LANDSCAPERS
- WATER REPELLENT AND BREATHABLE BACK
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



SIZES: 7 TO 12

COMPOSITION:

Grain leather, polyester Ripstop



EVO13

Planting, digging, weeding

- SCOTCHGUARD-TREATED WATER REPELLENT LEATHER
- FREEDOM OF MOVEMENT
- GRIP IN WET ENVIRONMENTS



SIZES: 6 TO 11

COMPOSITION:

Goat leather, Skinsoft



B BASIC

Planting, digging, weeding

- GOOD GRIP
- PALM AND FINGER PROTECTION



SIZES: 6 TO 10


COMPOSITION:

Latex, polycotton



DEVELOPMENT OF INNOVATING TECHNOLOGICAL MATERIALS

RIPSTOP: a non-tear fabric weave, composed of 3 layers:



1. RIPSTOP non-scratch
2. Waterproof-breathable membrane
3. Comfortable velvet lining

SKINSOFT: synthetic material with properties close to leather (appearance, flexibility, strength, oil repellent properties) composed of 2 layers:



1. Polyurethane coating
2. Comfortable velvet lining





B ROSERAIE

Thorny plant maintenance

- VALIDATED BY ROSE-GROWERS
- FOREARM PROTECTION FROM THORNS
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



LEATHER TANNED IN FRANCE

VALIDATED AND TESTED BY:



CO₂ 2.1 Kg eq.



SIZES: 7 TO 10

COMPOSITION:
Goat leather, Skinsoft



B EM25A

Garden maintenance

- FULL SUPPLE, THIN LEATHER PROTECTION
- GOOD HAND BREATHABILITY
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



SIZES: 6 TO 11

COMPOSITION:
Metis grain



B SARMENT


Intensive pruning, root removal, bundling

- IDEAL FOR COLD AND WET ENVIRONMENTS DOWN TO 0°C
- 3 X LONGER LASTING: ERGONOMIC REINFORCEMENTS ON WEAR AREAS
- VALIDATED BY WINEGROWERS AND LANDSCAPERS



SIZES: 7 TO 11

COMPOSITION:
Acrylic, nitrile, polyamide, para-aramid



B IVERNO

Cold weather pruning

- WITHSTANDS COLD DOWN TO -10°C
- WATERPROOF, BREATHABLE MEMBRANE
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY




CO₂ 2.4 Kg eq.



SIZES: 7 TO 11

COMPOSITION:
Cow leather, polar fleece, polyester Ripstop





CLEAR BRUSH

B RONCIER

Care of large thorny plants (Pyracantha)

- THE THICK LEATHER PROTECTS FROM LARGE THORNS
- BARRIER TO OILS AND MAINTAINS A GOOD GRIP
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



TOP SALES



SIZES: 7 TO 11

COMPOSITION:

Grain leather, polyester Ripstop, Skinsoft



B OPTIPRO

Garden maintenance

- SUITABLE FOR LOW VIBRATION TOOLS
- NON-SLIP FINGERTIPS
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 8 TO 11

COMPOSITION:

Polyester, polyester microfibre

2016/425 - MINOR RISKS

B T.70X135

Brush clearance and branch cutting

- HIGH THORN RESISTANCE
- COMPLETE LEG COVERING



SINGLE SIZE

COMPOSITION:

Cow split leather

2016/425 - MINOR RISKS





FITTING OUT

B DURANIT-ONE


Handling and machinery operation

- 3X MORE LONG-LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- GRIP IN OILY CONDITIONS
- SECOND SKIN EFFECT



SIZES: 6 TO 12

COMPOSITION:
Nitrile, polyamide, elasthane



B MIDSEASON


Mid-season work and pruning

- IDEAL FOR COLD AND WET ENVIRONMENTS (DOWN TO 0°C)
- 3X MORE LONG-LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SOFT SKIN CONTACT



SIZES: 7 TO 12

COMPOSITION:
Nitrile, acrylic



B MACPRO

Outdoor masonry and earthworks

- HIGHLY CUT-RESISTANT (24 N)
- EXCELLENT TOOL GRIP
- VALIDATED BY MASONS



SIZES: 8 TO 11

COMPOSITION:
Latex, high tenacity polyethylene, mineral fibres



B WINTERPRO

Heavy work - cold and wet environments

- WITHSTANDS COLD DOWN TO -10°C
- FULL HAND PROTECTION
- GOOD TOOL GRIP



SIZES: 7 TO 11

COMPOSITION:
Nitrile, acrylic





B STRONGER

Major abrasive and cutting works

- HIGHLY CUT-RESISTANT
- INCREASED SERVICE LIFE THANKS TO THE PALM REINFORCEMENT
- MAINTAINS A GOOD GRIP IN WET OR OILY ENVIRONMENTS



SIZES: 8 TO 11

COMPOSITION:

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres, polyamide



B CLOTURE

Barbed wire handling

- VALIDATED BY FARMERS
- HIGHLY PERFORATION RESISTANT
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



SIZES: 8 TO 11

COMPOSITION:

Grain leather, polyester Ripstop



B SOLIDO

Timber, rock and plant handling

- HIGHLY PERFORATION RESISTANT
- WATER REPELLENT AND BREATHABLE BACK
- COMFORT LINING



SIZES: 8 TO 11

COMPOSITION:

Split cowhide leather, polyester Ripstop, polyamide





BLACKNIT

Waste management, sorting and recycling

- MAXIMUM CUT RESISTANCE (33.6 N)
- SUITABLE FOR OILY ENVIRONMENTS
- SOBER, STAIN RESISTANT BLACK COLOUR



SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres



B LIQUIDO

Waste collection and sorting

- GOOD GRIP
- SUITABLE FOR PEOPLE SUFFERING FROM LATEX ALLERGY
- FOREARM PROTECTION (35 CM)



SIZES: 7 TO 10

COMPOSITION:

Nitrile, polyester



RIPEUR/CO

Waste collection and sorting

- MAXIMUM CUT RESISTANCE (61.4 N)
- HIGHLY PERFORATION RESISTANT
- BARRIER TO OILS AND MAINTAINS A GOOD GRIP



SIZES: 7 TO 12

COMPOSITION:

Split cowhide leather, stainless steel, high tenacity polyethylene, polyamide







STOP-OIL

High pressure cleaning

- GRIP IN OILY CONDITIONS
- TOTAL OIL AND WATER PROTECTION



SIZES: 6 TO 11

COMPOSITION:
Nitrile, polyamide



STOP-OILCUT


Piping, sewer inspection

- MAXIMUM CUT RESISTANCE (**40.7 N**)
- GRIP IN WET AND OILY ENVIRONMENTS
- WITHSTANDS CONTACT HEAT UP TO 100°C



SIZES: 7 TO 11

COMPOSITION:
Nitrile, high tenacity polyethylene, polyester, stainless steel



B WETPRO

Pit, sewage cleaning

- PROTECTION EXTENDED UP TO THE SHOULDER (60 CM)
- ARM ADJUSTMENT USING A TIGHTENING ELASTIC
- GOOD GRIP



SIZES: 9 AND 11

COMPOSITION:
PVC, cotton



B SNITRILE


Cleaning and washing

- WITHSTANDS 9 CHEMICALS (SEE PAGE 33)
- SUITABLE FOR PEOPLE SUFFERING FROM LATEX ALLERGY



SIZES: 7 TO 11

COMPOSITION:
Nitrile, cotton





ANIMALYS1

Work with animals - bites

- BARRIER TO BITES AND SCRATCHES
- FULL AND EXTENDED ARM PROTECTION (58 CM)
- GOOD PERFORATION PROTECTION



LEATHER TANNED
IN FRANCE



SIZES: 8 TO 12

COMPOSITION:

Cow grain leather, para-aramid

2016/425 MINOR RISKS
**Levels only as an indication*



B RONCIER

Work with animals - scratches

- PROTECTION FROM SCRATCHES AND SMALL TEETH
- GRIP MAINTAINED IN GREASY ENVIRONMENTS
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



TOP SALES



SIZES: 7 TO 11

COMPOSITION:

Grain leather, polyester Ripstop, Skinsoft



Farming & feeding people

GROWING & BREEDING

- 30. RONCIER
- 30. CLOTURE
- 31. WETCUTO3-EVOLUTION
- 31. EVO13
- 31. BLACKSTICK+
- 32. DURANIT-ONE
- 32. COLDPRO
- 32. SARMENT
- 33. SNITRILE
- 33. GASPRO

HARVESTING

- 34. LIQUIDO
- 34. MECANO
- 34. VISIBLE
- 34. MAXIMA

FISHING & CLEANING

- 35. MACPRO
- 35. PROTECTMAX

PROCESSING & COOKING

- 36. CUTFOOD
- 36. CUTFOOD-SENS
- 36. CUTFOOD-MAX
- 37. CUTFOOD-CUFF
- 37. T.CUTFOOD
- 37. T.CRYO
- 38. CANADA
- 38. FEELPRO
- 38. WINTERPRO
- 38. ZPP25
- 39. TN22
- 39. TFI27
- 39. WARM250/50D2



GROWING & BREEDING



B RONCIER

Brush clearance and plot maintenance

- THE THICK LEATHER PROTECTS FROM LARGE THORNS
- BARRIER TO OILS AND KEEPS A GOOD GRIP
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



TOP SALES



SIZES: 7 TO 11

COMPOSITION:

Grain leather, polyester Ripstop, Skinsoft

EN388



4143X

B CLOTURE

Installing agricultural fencing

- VALIDATED BY FARMERS
- HIGHLY PERFORATION RESISTANT
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



LEATHER TANNED
IN FRANCE

CO₂
1.5 Kg eq.



SIZES: 8 TO 11

COMPOSITION:

Grain leather, polyester Ripstop

EN388



4144X





GROWING & BREEDING

WETCUTO3-EVOLUTION

Weeding, suckering

- SMALL CUT RESISTANCE
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester



EVO13

Plot clearance, market gardening

- SCOTCHGUARD TREATED WATER REPELLENT LEATHER
- FREEDOM OF MOVEMENT
- GRIP IN WET ENVIRONMENTS



SIZES: 6 TO 11

COMPOSITION:

Goat leather, Skinsoft



BLACKSTICK+

Heavy work, timber handling

- MAXIMUM CUT RESISTANCE (32.1 N)
- DURABILITY STRENGTHENED BY THE BONDING PROCESS
- HIGHLY PERFORATION RESISTANT



SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres





GROWING & BREEDING

B DURANIT-ONE

Machinery operation

- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



OEKO
TEX®

STANDARD
100

15.HCN.68777
Hohenstein HTTI



CO₂
1,9 Kg eq.



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, elasthane



B COLDPRO

Winter works

- WITHSTANDS COLD DOWN TO -10°C
- EXCELLENT GRIP
- VISIBLE COLOUR



CO₂
5,6 Kg eq.



SIZES: 8 TO 11

COMPOSITION:

Latex, acrylic



B SARMENT

Vineyard maintenance: pruning, wood, and sorting

- IDEAL FOR COLD AND WET ENVIRONMENTS (DOWN TO 0°C)
- 3 X MORE LONG LASTING: ERGONOMIC REINFORCEMENTS ON WEAR AREAS
- VALIDATED BY WINEGROWERS



SIZES: 7 TO 11

COMPOSITION:

Acrylic, nitrile, polyamide, para-aramid





B SNITRILE

Preparation for crop treatments, spreading, cleaning, washing and re-entry

- RESISTANT TO 9 CHEMICALS
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



CO₂
2.3 Kg eq.



SIZES: 7 TO 11

COMPOSITION:
Nitrile, cotton



B GASPRO

Crop treatment and leaching preparation

- EXCELLENT GRIP IN GREASY OR WET CONDITIONS
- 35 CM FOREARM PROTECTION
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



SIZES: 9 AND 10

COMPOSITION:
PVC, nitrile, polyamide



CHEMICAL AND PESTICIDE STANDARDS

CODE LETTER	CHEMICALS	CAS NUMBER	CLASS	CODE LETTER	CHEMICALS	CAS NUMBER	CLASS	CODE LETTER	CHEMICALS	CAS NUMBER	CLASS
A	Methanol	67-56-1	Primary alcohol	G	Diethylamine	109-89-7	Amine	M	Nitric acid 65 %	7697-37-2	Non-organic, oxidant mineral acid
B	Acetone	67-64-1	Ketone	H	Tetrahydrofuran	109-99-9	Etheric heterocyclic compounds	N	ACETIC acid 99 %	64-19-7	Organic acid
C	Acetonitrile	75-05-8	Nitrile compound	I	Ethyl acetate	141-78-6	Ester	O	Ammonia 25%	1336-21-6	Organic base
D	Dichloromethane	75-09-2	Chlorinated hydrocarbon	J	n-Heptane	142-82-5	Saturated hydrocarbon	P	Hydrogen peroxide 30 %	7722-84-1	Peroxide
E	Carbon disulphide	75-15-0	Organic compound containing sulphur	K	Caustic soda 40 % (NaOH or sodium hydroxide)	1310-73-2	Non-organic base	S	Hydrogen fluoride 40 %	7664-39-3	Non-organic mineral acid
F	Toluene	108-88-3	Aromatic hydrocarbon	L	Sulphuric acid 96 %	7664-93-9	Non-organic, oxidant mineral acid	T	Formaldehyde 37%	50-00-0	Aldehyde

TYPE A GLOVES

must be at least level 2 to permeation for 6 chemicals.



TYPE B GLOVES

must be at least level 2 to permeation for 3 chemicals.



TYPE C GLOVES

must be at least level 1 to permeation for 1 chemical.



The ISO 18889 standard defines the minimum required performance, classification and specific marking for gloves worn by operators handling pesticides and for re-entry tasks.

G1 gloves provide protection for the whole hand for low risks (single-use glove, used with diluted pesticides and without mechanical risks)

G2 gloves provide protection for the whole hand for higher risks (possibility of using concentrated pesticides with required mechanical resistance).

GR gloves only protect the palm of the hand (not the fingers) and are designed for the handling of products that have been in contact with pesticides.



B LIQUIDO

Market gardening and vegetable cleaning

- GOOD GRIP
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES
- FOREARM PROTECTION (35 CM)



SIZES: 7 TO 10

COMPOSITION:
Nitrile, polyester



B MECANO

Pesticide handling: re-entry workers

- RESISTANT TO CHEMICALS
- GUARANTEED SECOND SKIN EFFECT
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



SIZES: 7 TO 10

COMPOSITION:
Nitrile



B VISIBLE:

Thorned fruit harvesting

- EXCELLENT TOOL GRIP
- BRIGHT COLOUR TO FIND THE GLOVES QUICKLY



SIZES: 8 TO 11

COMPOSITION:
Latex, polyester



B MAXIMA

Juice fruit harvesting

- FULL PROTECTION: AN ALTERNATIVE TO LEATHER
- SUITABLE FOR INTENSE PLANTING WORK
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 7 TO 10

COMPOSITION:
Nitrile, polyamide





FISHING & CLEANING

B MACPRO

Fish collection and selection

- EXCELLENT GRIP ON FISHING RODS AND FISH
- FACILITATES HOOK REMOVAL
- VERY HIGH CUT RESISTANCE (24 N)



SIZES: 8 TO 11

COMPOSITION:

Latex, high tenacity polyethylene, mineral fibres



B PROTECTMAX

Oyster farming

- EXCELLENT GRIP
- ITS THICK LATEX WITHSTANDS SMALL PERFORATIONS



TOP SALES



SIZES: 7 TO 10

COMPOSITION:

Latex, cotton





PROCESSING & COOKING

CUTFOOD

Slaughter house - poultry boning and butchering

- MAXIMUM CUT RESISTANCE (45.3 N)
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 5 TO 13

COMPOSITION:

High tenacity polyethylene, mineral fibres, polyester, stainless steel, polypropylene



CUTFOOD-SENS

Slaughter house - beef boning and butchering

- MAXIMUM CUT RESISTANCE
- EXCEPTIONALLY THIN: 1ST GAUGE 15 FOOD GLOVE
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 5 TO 13

COMPOSITION:

High tenacity polyethylene, mineral fibres, polyester, stainless steel, polypropylene



CUTFOOD-MAX

Slaughter house - pork boning and butchering

- MAXIMUM CUT RESISTANCE (62.8 N)
- INCREASED SERVICE LIFE
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 5 TO 13

COMPOSITION:

High tenacity polyethylene, high tenacity polyamide, stainless steel



FOOD CONTACT AND WASHING

Our CUTFOOD protective gloves and cuffs have been specifically developed to handle and cut foodstuffs such as meat. **These PPEs are ready for direct contact with food and carcasses.**

All our CUTFOOD products are industrially washed directly after manufacture.

CUTFOOD products **can also be machine-washed at 70°C to extend their service life.** Washing does not alter their properties and performance throughout their service life. This solution reduces waste and PPE costs.



CUTFOOD-CUFF

Slaughter house - boning and butchering

- MAXIMUM CUT RESISTANCE (56.7 N)
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



NEW



SIZE: 25 CM

COMPOSITION: High tenacity polyethylene, mineral fibre, polyester, stainless steel, polypropylene

2016/425 MINOR RISKS



T.CUTFOOD

Slaughter house - butchering and processing

- WATER AND GREASE SPRAY RESISTANT
- MAXIMUM CUT RESISTANCE (40.7 N)
- COMFORT SUSPENDERS



NEW



SINGLE SIZE

COMPOSITION: Polyurethane, high-tenacity polyamide, stainless steel, high-tenacity polyester, high-tenacity polyethylene

2016/425 MINOR RISKS



T.CRYO

Slaughter house - butchering and processing

- FOOD HANDLING
- ADJUSTABLE TIGHTENING STRAP



SINGLE SIZE

COMPOSITION: Silicone, wool, cotton

2016/425 MINOR RISKS



BLUE GLOVE, WHITE GLOVE, WHAT'S THE DIFFERENCE?

The **glove colour** is important because blue is rarely present in foods. This colour **makes it possible to spot** any **debris or lost** gloves that could be present in food at a glance. **Blue gloves** are therefore used in **cutting rooms**. **White gloves** are worn in **slaughter houses**.



B CANADA

Positive cold room handling

- GOOD GRIP
- FOOD HANDLING
- IDEAL FOR COLD AND WET ENVIRONMENTS DOWN TO 0°C

TOP SALES

CO₂ 1.7 Kg eq.

LEAK TIGHTNESS

COMFORT DURABILITY DEXTERITY

SIZES: 6 TO 11
COMPOSITION:
 Nitrile, acrylic

EN388 4121X EN511 X1X EN407 X1XXXX

EUROPEAN FOOD CONTACT APPROVAL

FEELPRO

Handling in temperate environments

- ULTRA-COMFORTABLE, SECOND SKIN EFFECT
- HIGH VISIBILITY COLOUR
- FOOD HANDLING

TOP SALES

CO₂ 1.1 Kg eq.

STANDARD 100
 OEKO TEX®
 15.HCN.68777
 Hohenstein HTTI

LEAK TIGHTNESS

COMFORT DURABILITY DEXTERITY

SIZES: 7 TO 11
COMPOSITION:
 Nitrile, polyamide, elastane

EN388 4121X

EUROPEAN FOOD CONTACT APPROVAL

B WINTERPRO

Handling in negative cold rooms

- WITHSTANDS COLD DOWN TO -10°C
- FULL HAND PROTECTION
- GOOD GRIP

TOP SALES

CO₂ 3.9 Kg eq.

LEAK TIGHTNESS

COMFORT DURABILITY DEXTERITY

SIZES: 7 TO 11
COMPOSITION:
 Nitrile, acrylic

EN388 4332C EN511 12X EN407 X1XXXX

EUROPEAN FOOD CONTACT APPROVAL

ZPP25

Glove liner for cold rooms

- INSULATES FROM NEGATIVE COLD (-5°C)
- USED AS A GLOVE LINER, IMPROVES THERMAL COMFORT
- AMBIDEXTROUS: DOUBLE SERVICE LIFE


CO₂ 1.1 Kg eq.

LEAK TIGHTNESS

COMFORT DURABILITY DEXTERITY

SIZES: 6 TO 11
COMPOSITION:
 Polypropylene, elastane

2016/425 MINOR RISKS



PROCESSING & COOKING

TN22

Handling of fragile foodstuffs and chocolate production

- DOES NOT FLUFF
- PROCESS PROTECTION: NO SOILING, NO MARKS



SIZES: 6 TO 10

COMPOSITION:
Polyamide

TFI22

Miscellaneous precision handling

- WASHABLE: NON-SHRINK STITCH
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 6 TO 10

COMPOSITION:
Cotton

WARM250/50D2


Removal of dishes from the oven

- FOOD COMPATIBILITY
- WITHSTANDS CONTACT HEAT UP TO 350°C
- DOES NOT SHRINK



SIZES: 8 TO 12

COMPOSITION:
Silicone, para-aramid, acrylic, cotton



Protecting property and people

WEAPONS HANDLING

- 42. GUARDIAN
- 42. OPSB+

LAW ENFORCEMENT

- 44. MO456
- 44. PATROLSHOCK
- 44. URBANSHOCK

ROPE ACCESS WORK

- 45. OPS-BLACK
- 45. CORDIST
- 45. CLIFF
- 45. SAP

WORKING IN COLD WEATHER

- 46. COCOON
- 46. COLDPROOF
- 46. ALPIN

INTERVENTIONS - OTHER

- 47. VERDON
- 47. SPEEDERIKP
- 47. INTERCROSS

PARADING

- 48. CEREMONIE
- 48. TN27NS
- 48. FAUVE
- 48. PARADE

DETECTING WEAPONS

- 50. SCANFORCE-BR
- 50. SCANFORCE-LG
- 50. SCANFORCE-BL
- 51. SCANFORCE-GP
- 51. SCANFORCE-VE

CONTROL

- 52. SKINTOUCH
- 52. FULLSENS/O
- 52. EVOTACTIL
- 52. FULLSENS
- 53. BLACKTACTIL/O
- 53. BLACKTACTIL
- 53. PATROL
- 53. MECANO

SECURING VENUES

- 54. DURANIT-ONE
- 54. DURANIT-ULTRA
- 54. RIPDEXG

SECURING EVENTS

- 55. SPLITWELD
- 55. SPP2NIT05+
- 55. ATTACK6PEOM-BSC



SECURITY





WEAPON HANDLING

GUARDIAN

Intervention, close combat

- INCREASED WEAPON HANDLING DEXTERITY
- EASY TO PUT ON AND OPTIMUM FIT
- STANDARDISED SHOCK PROTECTION ON SENSITIVE AREAS



SIZES: 6 TO 12

COMPOSITION:

Amara, silicone amara, polyamide, polyurethane, D30®, thermoplastic



OPSB+

Security, intervention, arrests

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARDISED SHOCK PROTECTION ON SENSITIVE AREAS
- SEAMLESS BASE FOR FINE DEXTERITY AND TRIGGER FINGER



SIZES: 6 TO 11

COMPOSITION:

High tenacity polyethylene, polyurethane, D30®, silicone amara, thermoplastic



TECHNOLOGY

Built into the palms or backs of gloves, smart D30® foam helps protect your hands subjected to impacts or high energy impacts.

Proven in a wide range of applications (contact sports, motor sports), its exceptional resilience allows it to return to its initial state after any distortions and also gives it excellent durability.

HOW DOES IT WORK?

SUPPLE AND FLEXIBLE MATERIAL

ABSORBS AND DISSIPATES IMPACT ENERGY

RETURNS TO A SUPPLE STATE





LAW ENFORCEMENT

MO456

Securing and controlling borders


- STANDARD SHOCK PROTECTION FROM IMPACTS USING D30®
- OPTIMUM FULL HAND PROTECTION
- FIRE TREATMENT



SIZES: 6 TO 12

COMPOSITION:

Goat leather, aramid, D30®, nubuck



PATROLSHOCK

Security, intervention, arrests

- MULTIFUNCTION INTERVENTION GLOVE
- CUT RESISTANT PALM
- STANDARDISED SHOCK PROTECTION ON SENSITIVE AREAS



SIZES: 6 TO 12

COMPOSITION:

Amara, silicone amara, D30®, thermoplastic, para-aramid, mineral fibres



URBANSHOCK

Security, law enforcement


- LEATHER AND TEXTILE MIX FOR MAXIMUM CONVENIENCE
- STANDARD SHOCK PROTECTION USING D30®
- FIRE TREATMENT



SIZES: 6 TO 12

COMPOSITION:

Goat leather, Nomex, high tenacity polyethylene cotton, stainless steel, Twaron, amara silicone, D30®





ROPE ACCESS WORK

SECURITY

OPS-BLACK

Interventions and dog handlers

- MAXIMUM CUT RESISTANCE (32.1 N)
- SEAMLESS BASE FOR FINE DEXTERITY AND TRIGGER FINGER
- REINFORCEMENT PROVIDING GRIP AND FRICTION HEAT RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres, polyamide



B CORDIST

Rope access work, abseiling

- MULTI-PURPOSE GLOVE SUITABLE FOR ROPE WORK AND SHOOTING
- VERY SUPPLE AND COMFORTABLE MATERIALS
- REINFORCEMENTS ON THE WEAR ZONES



SIZES: 6 TO 12

COMPOSITION:

Goat leather, polyester, Neoprene



CLIFF

Abseiling operations

- SUITABLE FOR ROPE USE
- REINFORCEMENT ON THE 1ST WEAR ZONE
- VERY ABRASION AND PERFORATION RESISTANT



SIZES: 8 TO 11

2016/425 MINOR RISKS

COMPOSITION:

Cow split leather, foamback, goat leather, polyester

SAP

FAST-ROPE descents and special patrol insertion/extraction


- DEVELOPED ALONGSIDE SPECIAL FORCES
- EXCELLENT HEAT PROTECTION
- CAN BE WORN OVER A TACTICAL GLOVE



SIZES: 7 TO 11

COMPOSITION:

Goat leather, polyurethane rolled polyamide fabric cow split leather, para-aramid



WORKING IN COLD WEATHER



B COCOON

Cotton glove liner

- CAN BE WORN BY ITSELF (0 TO 10°C)
- SOFT, STRETCH MATERIAL
- SLIPS EASILY INSIDE ANY GLOVE



SIZES: 5 TO 11

COMPOSITION:
Recycled polyester

COLDPROOF

Cold weather work

- FLEECE LINING FOR COMFORT AND WARMTH (DOWN TO -5°C)
- FULL-HAND WIND-PROOF INSULATION TECHNOLOGY
- PITTARD LEATHER GUARANTEEING ALL WEATHER GRIP



SIZES: 6 TO 11

COMPOSITION:
Goat leather, polyester-PTFE softshell, fleece



ALPIN

Mountain operations

- FULL-HAND WIND-PROOF INSULATION TECHNOLOGY
- FLEECE LINING FOR COMFORT AND WARMTH (DOWN TO -15°C)
- THUMB/INDEX REINFORCEMENT FOR USE WITH POLES



SIZES: 6 TO 11

COMPOSITION:
Goat leather, polyester-PTFE softshell, recycled polyester wadding, fleece, D3O®





VERDON

Special operations, sharpshooting

- OPTIMISED DEXTERITY AND SENSITIVITY
- EXCELLENT SHOCK PROTECTION
- QUICK TO DON AND REMOVE



SIZES: 8 TO 11

2016/425 MINOR RISKS

COMPOSITION:

Goat leather, polyamide, nubuck, neoprene, polyester

SPEEDER1KP

Motorcycling and interventions


- ALL-WEATHER COMPATIBLE THANKS TO ITS WATER-REPELLENT LEATHER
- PERFECT HANDLEBAR GRIP AND HOLD
- FLEXIBLE D30® PROTECTION SHELLS



SIZES: 6 TO 12

COMPOSITION:

Goat leather, silicone amara, polyester, D30®



INTERCROSS

Security intervention team rope work glove

- ULTRA VERSATILE FOR ROPE ACCESS OPERATIONS
- SUITABLE FOR USE WITH FIREARMS
- SPLIT LEATHER REINFORCEMENT FOR CONCERTINA WIRE HANDLING



SIZES: 6 TO 11

COMPOSITION:

High-tenacity polyethylene, mineral fibre, polyurethane, D30®, cow split leather, thermoplastic





CEREMONIE

Shows and parades

- CROW'S FOOT FINISH
- WASHABLE: STABILISED STITCHING
- HEAT REGULATING MATERIAL



SIZES: 6 TO 10

COMPOSITION:
Cotton

TN27NS

Shows and parades

- DOES NOT FLUFF
- NON-FRAY DOUBLE HEM
- VERY SOFT TOUCH



CO₂
1.0 Kg eq.



SIZES: 6 TO 10

COMPOSITION:
Polyamide

FAUVE

Shows and parades

- TOP END LEATHER
- EXTREMELY SUPPLE
- SILK LINING



SIZES: 6 TO 10

COMPOSITION:
Lamb leather, silk

2016/425 MINOR RISKS

PARADE

Shows and parades

- LOCKNIT FABRICS
- STRETCH WEAVE FOR INCREASED COMFORT
- VERY SOFT TOUCH



NEW



SIZES: 7 TO 9

COMPOSITION:
Polyamide, elasthane

The world's smallest metal detector

Compact

lightweight,
ultra-effective

Maximum

hands-free
responsiveness

Discreet and silent

information
by vibration

Patented detection system

French
design and
manufacture

SCANFORCE®

Increases the effectiveness of pat-down checks by law enforcement officers and security guards.

more information on the
SCANFORCE®
line:





SCANFORCE-BR

All types of controls

- IDEAL FOR COLLECTIVE ALLOCATION
- FITS ON ALL GLOVES
- WATER-REPELLENT SUPPLE AND STRONG LEATHER



SIZES: S-M (5 TO 7)

L-XL (8 TO 11)

COMPOSITION:

Goat leather

RED DIRECTIVE:
2004/108/EC
ELECTROMAGNETIC
COMPATIBILITY (EMC)

SCANFORCE-LG

Event access control

- SYSTEM WITH CLEAR PALM: OPTIMISED PAT-DOWN
- AMBIDEXTROUS
- WATER-REPELLENT SUPPLE AND STRONG LEATHER



SINGLE SIZE

COMPOSITION:

Goat leather

RED DIRECTIVE:
2004/108/EC
ELECTROMAGNETIC
COMPATIBILITY (EMC)

SCANFORCE-BL

Sensitive controls: high risk populations, prisons

- SOBER AND DISCRETE
- HIGHLY CUT RESISTANT (28.2 N)
- SEAMLESS TECHNOLOGY FOR FINE DEXTERITY




SIZES: 7 TO 11

COMPOSITION:

Goat leather, high tenacity polyethylene mineral fibres

RED DIRECTIVE:
2004/108/EC
ELECTROMAGNETIC
COMPATIBILITY (EMC)





SCANFORCE-GP

Discrete controls (VIP protection) or in cold environments

- DISCRETE SYSTEM
- CUT RESISTANT
- WATER-REPELLENT SUPPLE AND STRONG LEATHER

SIZES: 7 TO 11

COMPOSITION:

Goat leather, para-aramid, mineral fibres, polyester, cotton, foamback

RED DIRECTIVE:
2004/108/EC
ELECTROMAGNETIC
COMPATIBILITY (EMC)

SCANFORCE-VE

Security - sensitive sites, hostage situations

- OPTIMISED DEXTERITY AND SENSITIVITY
- EXCELLENT SHOCK PROTECTION
- QUICK TO DON AND REMOVE

SIZES: 8 TO 11

COMPOSITION:

Goat leather, polyamide, nubuck, neoprene, polyester

RED DIRECTIVE:
2004/108/EC
ELECTROMAGNETIC
COMPATIBILITY (EMC)





B SKINTOUCH

Delicate pat-down operations

- SECOND SKIN EFFECT
- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- THE FIRST FLUID BARRIER IN THE PALM



SIZES: 6 TO 12
COMPOSITION:
 Polyurethane, nylon



FULLSENS/O

Pat-down operations requiring sensitivity

- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- MAXIMUM CUT RESISTANCE
- SEAMLESS TECHNOLOGY: CAN BE USED AS A GLOVE LINER



SIZES: 6 TO 12
COMPOSITION:
 Reinforced polyamide, mineral fibre,
 stainless steel



EVOTACTIL

Delicate pat-down operations with a cut prevention requirement

- EXCELLENT CUT RESISTANCE
- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- WATER BASED PU PALM COATING



SIZES: 6 TO 12
COMPOSITION:
 Polyethylene, stainless steel, polyamide,
 DMF-free water-based polyurethane



FULLSENS

Delicate pat-down operations with a cut prevention requirement

- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- MAXIMUM CUT RESISTANCE (43.9 N)
- THE FIRST FLUID BARRIER IN THE PALM



SIZES: 6 TO 12
COMPOSITION:
 Polyurethane, reinforced polyamide,
 mineral fibre, stainless steel





CONTROL

SECURITY

BLACKTACTIL/O Control and arrest operations

- VERY HIGH CUT RESISTANCE (28.2 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE



SIZES: 6 TO 11
COMPOSITION:
High tenacity polyethylene, mineral fibres



BLACKTACTIL Control and arrest operations

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- THE FIRST FLUID BARRIER IN THE PALM



TOP SALES
CO₂
1.4 Kg eq.

SIZES: 6 TO 12
COMPOSITION:
Polyurethane, high tenacity polyethylene, mineral fibres



PATROL Control and arrest operations in cold weather

- OFFSET SEAMS FOR MORE SENSITIVITY
- CUT RESISTANT
- WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



NEW
LEATHER TANNED
IN FRANCE



SIZES: 6 TO 11
COMPOSITION:
Goat leather, cotton, mineral fibres, para-aramid, polyester, foamback



B MECANO Pat-down operations - Single use

- 100% WATERPROOF FOR USE IN THE RAIN
- GUARANTEED SECOND SKIN EFFECT
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



SIZES: 7 TO 10
COMPOSITION:
Nitrile





VENUE SECURITY

B DURANIT-ONE

Installation of temporary security barriers


- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- GRIP IN WET AND OILY ENVIRONMENTS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, elastane



B DURANIT-ULTRA

Miscellaneous handling


- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN WET AND OILY ENVIRONMENTS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elastane



RIPDEXG

Perimeter security: installation of razor wire, concertina wire


- MAXIMUM CUT RESISTANCE (62 N)
- HIGH PERFORATION RESISTANCE
- GRIP MAINTAINED IN WET AND OILY ENVIRONMENTS



SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, stainless steel, high tenacity polyethylene, polyamide



RIPDEX LINE

Complementary products for **total protection** when handling **razor wire**.



RIPDEX
Cuff



RIPDEXLEG
Leg pad



RIPDEXTAB
Apron



EVENT SECURITY

SECURITY

B SPLITWELD

Smoke candle handling

- WITHSTANDS HEAT UP TO 100°C
- RESISTANCE TO MOLTEN METAL SPRAY
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



CO₂
4.1 Kg eq.



SIZES: 7 TO 11

COMPOSITION:
Cow split leather



ATTACK6PEOM-BSC

Fire fighting interventions

- REINFORCED FLASHOVER PROTECTION
- GUARANTEED STRENGTH AFTER WASHING
- PROTECTION FROM THERMAL BRIDGES



CO₂
9.0 Kg eq.


TOP SALES
LABEL CIVIL SECURITY

TYPE C



SIZES: 6 TO 13

COMPOSITION:
Textile mix, goat leather, para-aramid, AIRSYSTEM fabric



SPP2NIT05+

Fire fighting interventions

- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- THE LEATHER DOES NOT HARDEN AFTER WASHING
- EASY TO DON THANKS TO THE CUFF WIDTH




LEATHER TANNED IN FRANCE



SIZES: 6 TO 12

COMPOSITION:
Cow grain leather, para-aramid, cotton, mineral fibres



SSIAP

Fire and Rescue Department

Fire and rescue officers play an essential role in the safety of establishments and event venues. To comply with strict **fire safety** regulations, such as early intervention in the event of a fire, we strongly recommend gloves from our **FIRE-FIGHTER** line. These gloves are specially designed to meet these demanding requirements.

Rescue operations

PUTTING OUT STRUCTURAL FIRES

- 58.** RAPACEMMIX
- 58.** RAPACEMTEX
- 58.** RAPACEM
- 60.** ATTACK6PEOMTEX-BSC
- 60.** ATTACK6PEOM-BSC
- 60.** TREXSMSQUALE-BLSC

CONTROLLING WILD FIRES

- 61.** SPP2NITO5+
- 61.** SPP2NITBKV+
- 61.** TRACKERM
- 61.** TRACKER

VEHICLE EXTRICATION

- 62.** RESCUESENS
- 62.** RESCUESENSVL
- 62.** RESCUESENSTOUCH
- 63.** RESCUEFITFLUO
- 63.** RESCUEFLUOBC-SC
- 63.** RESCUEFLUO-SC
- 63.** BLACKSTICK+-SC

INTERVENTIONS & ASSISTANCE

- 64.** STOP-OIL
- 64.** GASPRO
- 64.** DURANIT-ONE
- 64.** MIDSEASON
- 65.** ANIMALYST
- 65.** SAP
- 65.** BLACKTOP

PARADE

- 48.** CEREMONIE
- 48.** TN27NS
- 48.** FAUVE
- 48.** PARADE



RESCUE





PUTTING OUT STRUCTURAL FIRES

RAPACEMMIX

Fire fighting interventions


- STRENGTH GUARANTEED AFTER 10 WASHES
- PROTECTION FROM THERMAL BRIDGES
- MORE RESISTANT TO MECHANICAL STRESS



SIZES: 5 TO 13

COMPOSITION:

Karapace fabric, goat leather, Kevlar, mineral fibres, FR viscose, Porelle membrane, cow split leather, cotton



RAPACEMTEX

Fire fighting interventions


- STRENGTH GUARANTEED AFTER 10 WASHES
- PROTECTION FROM THERMAL BRIDGES
- ULTRA-STABLE SILICONE PALM



SIZES: 5 TO 13

COMPOSITION:

Karapace fabric, silicone coating, Kevlar, mineral fibre, FR viscose, Porelle membrane



RAPACEM

Fire fighting interventions


- STRENGTH GUARANTEED AFTER 10 WASHES
- PROTECTION FROM THERMAL BRIDGES
- ULTRA-STRONG LEATHER TANNED IN FRANCE



SIZES: 5 TO 13

COMPOSITION:

Goat leather, cow split leather, Kevlar, mineral fibres, FR viscose, Porelle membrane, cotton



WASHING: A MAJOR ISSUE!

Your PPE can be contaminated by toxic gases and **VOCs** (volatile organic compounds) during fire-fighting operations. These gases can have harmful effects on fire-fighters' health. **Rostaing** is committed to reducing this risk as much as possible.

Rostaing produces **washable, long-lasting gloves** and is committed to **certifying its products after 10 washes**. Furthermore, we are continuing this process to increase the number of possible washes or to allow decontamination methods that will guarantee your safety over time.

RAPACE CONCEPT

This innovation, called "**RAPACE**", was inspired by our in-house fire-fighters, who are working to deploy Rostaing gloves in this sector and in the field.

Indeed, we discovered that the word RAPACE was a mnemonic used by French fire-fighters before deployments wearing SCBA. It is the final checklist of safety features the wearer must check. We explored this convenient coherence with the symbolism of birds of prey. Birds of prey are often the liberators of inextricable situations. They are courageous birds, an invitation to more grandeur.

This technical line is supported by strong partnerships, including **Chamatex**.

Following its success in textile innovations dedicated to extreme sports (trail running and motor sports), **Chamatex** has created **KARAPACE**, an innovating, French technical fabric combining protection and strength for high-risk professions.

KARAPACE® What are its properties?

- High protection from damp, heat and UVs
- Better preservation of mechanical strengths
- Ultra-breathable technology



The bird of prey represents determination, concentration, leadership, clarity, planning for the future, intuitive decision-making and protection. The design of our new fire-fighter gloves conveys an image of power and balance in keeping with their durability. Every day, we thank these men and women who protect us so passionately, and we are honoured to protect them with this new line.



ATTACK6PEOMTEX-BSC

Fire fighting interventions

- REINFORCED BACK AND CUFF PROTECTION IN FLASHOVER SITUATIONS
- STRENGTH GUARANTEED **AFTER 10 WASHES**
- THERMALLY ULTRA-STABLE THERMASIL PALM



TOP SALES




TYPE
C



SIZES: 6 TO 13

COMPOSITION:
100% textile, AIRSYSTEM fabric,
silicone coating, para-aramid



ATTACK6PEOM-BSC

Fire fighting interventions

- REINFORCED FLASHOVER PROTECTION
- GUARANTEED STRENGTH AFTER WASHING
- PROTECTION FROM THERMAL BRIDGES



TOP SALES




TYPE
C



SIZES: 6 TO 13

COMPOSITION:
Mixed leather/textile, para-aramid,
AIRSYSTEM fabric



TREXSMSQUALE-BLSC

Fire fighting interventions

- PROTECTION FROM THERMAL BRIDGES
- GUARANTEED STRENGTH AFTER WASHING



TOP SALES




TYPE
C




SIZES: 6 TO 12

COMPOSITION:
100% leather (goat leather, cow
split leather), para-aramid



AIRSYSTEM[®]

ROSTAING



IMPROVES THE TECHNICAL HEAT RESISTANCE PERFORMANCES BY 20%

Air-bag effect
Thanks to its innovating structure and its cutting edge technology, AIRSYSTEM[®] effectively protects in FLASHOVER situations.

how does it work?
When subjected to very high temperatures, the diamond-shaped cells in the fabric expand to create a layer of air that provides an additional thermal barrier.



CONTROLLING WILD FIRES

SPP2NIT05+

Interventions on forest fires and rescues


- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- THE LEATHER DOES NOT HARDEN AFTER WASHING
- EASY TO DON THANKS TO THE CUFF WIDTH



SIZES: 6 TO 12

COMPOSITION:

Cow grain leather, para-aramid, cotton, mineral fibres



SPP2NITBKV+

Interventions on forest fires and rescues


- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- THE LEATHER DOES NOT HARDEN AFTER WASHING
- EASY TO DON THANKS TO THE HANGER LOOP



SIZES: 6 TO 12

COMPOSITION:

Cow grain leather, para-aramid, cotton, mineral fibres



TRACKERM

Forest fire and rescue operations


- REINFORCED METACARPAL PROTECTION
- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- THE LEATHER DOES NOT HARDEN AFTER WASHING



SIZES: 6 TO 12

COMPOSITION:

Cow grain leather, para-aramid, cotton, mineral fibres



TRACKER

Forest fire and rescue operations


- REINFORCED METACARPAL PROTECTION
- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- THE LEATHER DOES NOT HARDEN AFTER WASHING



SIZES: 6 TO 12

COMPOSITION:

Cow grain leather, para-aramid, cotton, mineral fibres



RESCUE



VEHICLE EXTRICATION

RESCUESENS

Traffic accident rescue, personal rescue and clearance

- EXCEPTIONAL CUT RESISTANCE (43.9 N)
- STANDARD SHOCK PROTECTION
- GRIP IN WET AND OILY ENVIRONMENTS



Product photo not contractually binding



NEW

COMPLIANT WITH STANDARDS
CIVIL PROTECTION LABEL

TYPE B

RESCUESENSVL

Traffic accident rescue, personal rescue and clearance

- EXCEPTIONAL CUT RESISTANCE (43.9 N)
- STANDARD SHOCK PROTECTION
- ADJUSTABLE WRIST STRAP



Product photo not contractually binding



NEW


COMPLIANT WITH STANDARDS
CIVIL PROTECTION LABEL

TYPE B

SIZES: 6 TO 11

COMPOSITION:


Split cowhide leather, polyurethane, reinforced polyamide, mineral fibre, stainless steel, thermoplastic



SIZES: 6 TO 11

COMPOSITION:

Split cowhide leather, polyurethane, reinforced polyamide, mineral fibre, stainless steel, thermoplastic



RESCUESENSTOUCH

Traffic accident rescue, personal rescue and clearance

- EXCEPTIONAL CUT RESISTANCE (43.9 N)
- STANDARD SHOCK PROTECTION
- FREE THUMB AND INDEX FINGER



Product photo not contractually binding



NEW



COMPLIANT WITH STANDARDS
CIVIL PROTECTION LABEL


TYPE B



SIZES: 6 TO 11

COMPOSITION:

Split cowhide leather, polyurethane, reinforced polyamide, mineral fibre, stainless steel, thermoplastic





RESCUEFITFLUO

Personal rescue and road rescue

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARD SHOCK PROTECTION



SIZES: 6 TO 11

COMPOSITION: High-tenacity polyethylene, mineral fibre, polyurethane, cow split leather, D30®, thermoplastic



RESCUEFLUOBC-SC

Personal rescue and road rescue

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARD SHOCK PROTECTION
- GRIP IN WET AND OILY ENVIRONMENTS



SIZES: 6 TO 11

COMPOSITION: High-tenacity polyethylene, mineral fibre, polyurethane, cow split leather, D30®, thermoplastic



RESCUEFLUO-SC:

Personal rescue and road rescue

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARD SHOCK PROTECTION
- WRIST ADJUSTMENT SYSTEM



SIZES: 6 TO 11

COMPOSITION: High-tenacity polyethylene, mineral fibre, polyurethane, cow split leather, D30®, thermoplastic



BLACKSTICK+-SC

Personal rescue and road rescue

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN WET AND OILY ENVIRONMENTS
- HIGH PERFORMANCE RESISTANCE



SIZES: 7 TO 11

COMPOSITION: Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres



RESCUE



INTERVENTION AND ASSISTANCE

STOP-OIL

Wildlife rescue

- GRIP IN OILY CONDITIONS
- TOTAL OIL AND WATER PROTECTION



SIZES: 6 TO 11

COMPOSITION:
Nitrile, polyamide



B GASPRO

Wildlife rescue

- HYDROCARBON & CHEMICAL RESISTANCE
- GRIP MAINTAINED IN GREASY ENVIRONMENTS



SIZES: 9 AND 10

COMPOSITION:
PVC, nitrile, polyamide



B DURANIT-ONE


Rescue and stretcher bearers

- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



SIZES: 6 TO 12

COMPOSITION:
Nitrile, polyamide, elasthan



B MIDSEASON


Handling operations and barracks maintenance

- IDEAL FOR COLD AND WET ENVIRONMENTS (DOWN TO 0°C)
- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- PLEASANT SKIN CONTACT



SIZES: 7 TO 12

COMPOSITION:
Nitrile, acrylic





INTERVENTION AND ASSISTANCE

ANIMALYS1

Personal and non venomous pet rescue

- BARRIER TO BITES AND SCRATCHES
- FULL ARM PROTECTION (58 CM)
- GOOD PERFORATION PROTECTION

LEATHER TANNED IN FRANCE




SIZES: 8 TO 12

COMPOSITION:

Cow grain leather, para-aramid

2016/425 MINOR RISKS
*Certification pending for information



SAP

Technical rescue and Hazardous environment intervention unit


- USE OF ALL ROPES IN EXTREME SITUATIONS
- HEAT RESISTANT
- CUT RESISTANT



SIZES: 7 TO 11

COMPOSITION:

Goat leather, polyurethane laminated polyamide fabric, cow split leather, para-aramid



B BLACKTOP

Use of ropes and Young Fire-fighters

- MAXIMUM CUT RESISTANCE (32.1 N)
- VERY GOOD GRIP
- ERGONOMIC ROPE PASSAGE



SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres



Processing and shaping materials

EXTRACTING

- 68. FEELPRO
- 68. CANADA
- 68. VIBRAPROTECT
- 68. DURANIT-IMPACT

PRODUCING

- 69. B7VERD
- 69. PROFUSION
- 69. HEATRESIST+
- 69. PROTRI

PROCESSING

- 70. HEATRESIST
- 70. WARM250/50D2
- 70. PARA4HEAT+
- 71. OILGRIP5
- 71. ROLLHEAT
- 71. HYDROPRO
- 72. METALSTRONG
- 72. METALSTRONG+
- 72. MASTERTOP
- 72. BLACKTOP
- 73. FITXTRA
- 73. BLACKNIT
- 73. DURANIT-PLUS
- 73. DURANIT-ULTRA
- 74. STOP-OILCUT
- 74. DURANIT-DRY
- 74. PARARC+
- 74. BLACKSTICK+
- 76. SPLITWELD
- 76. PROSOUD
- 76. LIGHT-WELD

76. ALUWELD

77. EVO13

77. STOP-OIL

77. GASPRO

78. ERGOMASTER

78. ERGOPRIMA

78. PRIMACUFF

78. PARACUFF

79. TABMASTER

79. TABMASTER

+ 79. MASTERTSHIRT

ASSEMBLE

80. BLACKTACTIL

80. WHITETACTIL

80. FULLSENS/O

81. PROTECT4SHOCK

81. DURANIT-ONE

81. FIT4PROTOUCH

HANDLE

82. FULLSENS

82. BLACKTACTIL/O

82. BLACKTOPNIT

82. SKINPRO

83. WETCUT01-EVOLUTION

83. WETCUT03-EVOLUTION

83. WETCUT03M-EVO

83. WETCUT05-EVOLUTION

84. CRIO

84. CRIOBC

CONTROLLING

85. SPEEDNET

85. TN27NS

85. MECANO

85. SKINTOUCH



INDUSTRY





EXTRACT

FEELPRO

Machinery and gantry crane operators

- SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY



SIZES: 7 TO 11

COMPOSITION:
Nitrile, polyamide, elastane



B CANADA

Machinery operator in wet and cold weather

- IDEAL FOR COLD AND WET ENVIRONMENTS (DOWN TO 0°C)
- GOOD GRIP
- EXTREMELY SOFT ON THE SKIN



SIZES: 6 TO 11

COMPOSITION:
Nitrile, acrylic



VIBRAPROTECT

Extraction - Pneumatic drill

- VALIDATED BY PUBLIC WORKS PROFESSIONALS
- STANDARDISED VIBRATION ABSORPTION
- OPTIMISED ERGONOMICS FOR INTENSIVE WORK



SIZES: 8 TO 11

COMPOSITION:
Rubber, polyester, cotton



DURANIT-IMPACT


Handling with risk of impacts


- STANDARD SHOCK PROTECTION AND PROTECTION FROM CRUSHING RISKS
- HIGHLY CUT RESISTANT
- MAINTAINED COMFORT AND FLEXIBILITY



SIZES: 6 TO 12

COMPOSITION:
Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elastane, thermoplastic





PRODUCE

B7VERD

Silica production and melting


- VALIDATED BY FLUE MASONS
- HIGH TEMPERATURE RESISTANCE: UP TO 800°C
- MAXIMUM CUT RESISTANCE (77.6 N)



SINGLE SIZE

COMPOSITION:

Mineral fibres, silicone, cotton



PROFUSION-1

Hot processing


- EXCELLENT HEAT RESISTANCE AT 500°C
- RESISTANCE TO MOLTEN METAL SPRAY
- BARRIER TO OILS AND MAINTAINS A GOOD GRIP



SIZES: 6 TO 12

COMPOSITION:

Cow split leather, aluminised fabric, para-aramid, mineral fibres, cotton, Porelle membrane



HEATRESIST+

Processing operations


- EXCELLENT HEAT RESISTANCE AT 500°C
- HIGHLY CUT RESISTANT
- FOREARM PROTECTION



SIZES: 8 TO 11

COMPOSITION:

Para-aramid terry loop, cow split leather, wool, cotton, aluminised acrylic



PROTRI-1

Foundries


- WITHSTANDS CONTACT HEAT UP TO 350°C
- VERY HIGH CUT RESISTANCE (24.8 N)
- GRIP MAINTAINED IN GREASY AND WET ENVIRONMENTS



SIZES: 8 TO 11

COMPOSITION:

Cow split leather, para-aramid, mineral fibres, cotton, Porelle membrane





HEATRESIST

Flue-mason


- WITHSTANDS CONTACT HEAT UP TO 350°C
- HIGHLY CUT RESISTANT



SIZES: 8 TO 11

COMPOSITION:

Para-aramid terry loop, cow split leather, wool, cotton



WARM250/50D2

Foundries

- WITHSTANDS CONTACT HEAT UP TO 350°C WITHOUT SHRINKAGE
- VERY HIGH CUT RESISTANCE (24.2 N)
- LIQUID AND HOT VAPOUR REPELLENT



SIZES: 8 TO 12

COMPOSITION:

Silicone, para-aramid, acrylic, cotton



PARA4HEAT+

Steel industry - processing operations


- WITHSTANDS CONTACT HEAT UP TO 250°C
- HIGHLY CUT RESISTANT
- COTTON COMFORT LINING



SIZES: 7 TO 10

COMPOSITION:

Para-aramid, cow split leather, cotton





PROCESS

OILGRIP5

Rolling


- WITHSTANDS FLAMES AND CONTACT HEAT UP TO 350°C
- MAXIMUM CUT RESISTANCE (42 N)
- GRIP MAINTAINED IN GREASY ENVIRONMENTS



SIZES: 8 TO 11

COMPOSITION:

Para-aramid, cow split leather, silicone, cotton, mineral fibres



ROLLHEAT

Rolling


- WITHSTANDS CONTACT HEAT UP TO 350°C
- HIGHLY CUT RESISTANT
- BARRIER TO OILS AND KEEPS A GOOD GRIP



SIZES: 7 TO 11

COMPOSITION:

Para-aramid terry loop, cotton



INDUSTRY

HYDROPRO

Rolling


- WITHSTANDS CONTACT HEAT UP TO 100°C
- CUT RESISTANT
- THE WATERPROOFED LEATHER DOES NOT HARDEN ONCE DRY



SIZES: 8 TO 11

COMPOSITION:

Cow grain leather, para-aramid





METALSTRONG

Stamping

- MAXIMUM CUT RESISTANCE (51.8 N)
- GRIP IN OILY CONDITIONS



SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, cotton, stainless steel, high tenacity polyethylene, polyamide



METALSTRONG+

Stamping

- MAXIMUM CUT RESISTANCE (51.8 N)
- GRIP IN OILY CONDITIONS
- HAND BACK PROTECTION



SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, cotton, stainless steel, high tenacity polyethylene, polyamide



MASTERTOP

Stamping


- VERY HIGH CUT RESISTANCE (25 N)
- GRIP IN OILY CONDITIONS
- WITHSTANDS CONTACT HEAT UP TO 100°C



SIZES: 7 TO 12

COMPOSITION:

Split cowhide leather, polyamide, high tenacity polyethylene, mineral fibres



BLACKTOP

Stamping

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- HIGH PERFORATION RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres





PROCESS

B FITXTRA

End of line, glass dispatch

- SMALL CUT RESISTANCE
- SECOND SKIN EFFECT
- COOL SENSATION



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, polyamide



BLACKNIT

Shaping

- MAXIMUM CUT RESISTANCE (33.6 N)
- SUITABLE FOR OILY ENVIRONMENTS
- SOBER BLACK COLOUR, STAIN RESISTANT



SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres



B DURANIT-PLUS

Shaping


- HIGHLY CUT RESISTANT
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane



B DURANIT-ULTRA

Cutting


- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane





PROCESS

STOP-OILCUT

Machining


- MAXIMUM CUT RESISTANCE (40.7 N)
- GRIP MAINTAINED IN OILY ENVIRONMENTS
- WITHSTANDS CONTACT HEAT UP TO 100°C



SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, polyester, stainless steel



DURANIT-DRY

Handling of cutting and oily parts


- 3/4 WATERPROOFING FOR WET AND OILY ENVIRONMENTS
- HIGHLY CUT RESISTANT
- 3 X MORE LONG-LASTING: REINFORCEMENT ON 1ST WEAR ZONE



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane



PARARC+

Handling of abrasive and oily parts


- REINFORCED WEAR ZONE AND FINGERTIPS
- EXCELLENT PERFORATION RESISTANCE
- CUT RESISTANT



SIZES: 8 TO 11

COMPOSITION:

Para-aramid, cow split leather



BLACKSTICK+

Machining and handling of cutting items

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- HIGH PERFORMANCE RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

High tenacity polyethylene, polyurethane, cow split leather, mineral fibres





INDUSTRY



B SPLITWELD

Welding and sheet metal work

- WELDER STANDARD
- SUITABLE FOR WELD MAINTENANCE AND REPAIRS
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY




CO₂
4.1 Kg eq.



SIZES: 7 TO 13

COMPOSITION:
Cow split leather



PROSOUD/1

Welding and sheet metal work

- WELDER STANDARD
- VERY HIGH CUT RESISTANCE (24.9 N)
- RESISTANCE TO MOLTEN METAL SPRAY



TOP SALES

AVAILABLE
SINGLY

CO₂
2.6 Kg eq.



SIZES: 6 TO 12

COMPOSITION:
Cow split leather, para-aramid,
mineral fibres, cotton, polyester



LIGHT-WELD

Welding and brazing

- WELDER STANDARD
- SUITABLE TO GRIP WELDING-BRAZING RODS
- CUT RESISTANT




CO₂
2.6 Kg eq.



SIZES: 6 TO 11

COMPOSITION:
Goat leather, para-aramid,
mineral fibres, cotton



ALUWELD

Welding operations

- WELDER STANDARD
- RESISTANCE TO MOLTEN METAL SPRAY
- GOOD GRIP



AVAILABLE
SINGLY

CO₂
8.7 Kg eq.



SIZES: 7 TO 11

COMPOSITION:
Cow split leather, aluminised
fabric, wool, cotton





EVO13

Refinery operations

- SCOTCHGUARD TREATED WATER REPELLENT LEATHER
- FREEDOM OF MOVEMENT
- GRIP MAINTAINED IN GREASY ENVIRONMENTS



TOP SALES



SIZES: 6 TO 11

COMPOSITION:
Goat leather, Skinsoft



STOP-OIL

Refinery operations

- GRIP IN OILY CONDITIONS
- TOTAL OIL AND WATER PROTECTION



SIZES: 6 TO 11

COMPOSITION:
Nitrile, polyamide



B GASPRO


Refinery operations

- HYDROCARBON & CHEMICAL RESISTANCE
- EXCELLENT GRIP IN GREASY CONDITIONS



SIZES: 9 AND 10

COMPOSITION:
PVC, nitrile, polyamide



INDUSTRY



ERGOMASTER

Handling of cutting and abrasive parts

- VERY HIGH CUT RESISTANCE (29.3 N)
- MOVEMENT FACILITATED BY THE KNIT ERGONOMICS
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP) 60 CM (WITH HOOK AND LOOP)

COMPOSITION:

Polyamide, high tenacity polyethylene, mineral fibres



ERGOPRIMA

Handling of cutting and abrasive parts

- HIGHLY CUT RESISTANT
- MOVEMENT FACILITATED BY THE KNIT ERGONOMICS
- HIGH VISIBILITY ORANGE COLOUR



SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP) 60 CM (WITH HOOK AND LOOP)

COMPOSITION:

Polyamide, polyester, mineral fibres



PRIMACUFF

Handling of cutting and abrasive parts

- HIGHLY CUT RESISTANT
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP) 50 CM (WITH HOOK AND LOOP), 60 CM (WITH HOOK AND LOOP)

COMPOSITION:

Polyamide, polyester, mineral fibres



PARACUFF

Handling of hot and cutting parts

- WITHSTANDS HEAT UP TO 100°C
- HIGHLY CUT RESISTANT
- AMBIDEXTROUS FOR DOUBLE SERVICE LIFE



SIZE: 35 CM
COMPOSITION:
Para-aramid





PROCESS

TABMASTER

Handling of cutting and abrasive parts

- HIGHLY CUT RESISTANT
- ADJUSTABLE TIGHTENING STRAP



SINGLE SIZE

COMPOSITION:

Polyamide, high tenacity polyethylene, mineral fibres

2016/425 MINOR RISKS

TABMASTER+

Handling of cutting and abrasive parts

- HIGHLY CUT RESISTANT
- ADJUSTABLE TIGHTENING STRAP
- REINFORCED PROTECTION ON 1ST WEAR ZONE



SINGLE SIZE

COMPOSITION:

Split cowhide leather, polyamide, high tenacity polyethylene, mineral fibres

2016/425 MINOR RISKS

MASTERTSHIRT

Handling of cutting and abrasive parts

- PRACTICAL: 2 IN 1
- REINFORCED PROTECTION: THE CUFF WILL NOT ROLL
- OPTIONS: BLUE COLOUR, BIB




SIZES: S TO XXXL

COMPOSITION:

Cotton, high tenacity polyethylene, mineral fibres

2016/425 MINOR RISKS





BLACKTACTIL

Rebars and rivets

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- SOBER, STAIN RESISTANT BLACK COLOUR



SIZES: 6 TO 12

COMPOSITION:

Polyurethane, high tenacity polyethylene, mineral fibres



WHITETACTIL

Handling and assembly

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE



SIZES: 6 TO 12

COMPOSITION:

Polyurethane, high tenacity polyethylene, mineral fibres



FULLSENS/O

Cutting part assembly operations

- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- MAXIMUM CUT RESISTANCE
- SEAMLESS TECHNOLOGY: CAN BE USED AS A GLOVE LINER



SIZES: 6 TO 12

COMPOSITION:

Reinforced polyamide, mineral fibre, stainless steel





ASSEMBLE

PROTECT4SHOCK

Intensive clipping

- CREATED BY AN ERGONOMICS SPECIALIST
- CAN BE USED AS A HAND CLIPPING TOOL (D30°)
- OPTIMISED DEXTERITY



SIZES: 7 TO 10

COMPOSITION:

Metis leather, polyester, D30°

2016/425 MINOR RISKS

B DURANIT-ONE

Assembly operations


- 3X MORE LONG-LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- GRIP IN OILY CONDITIONS
- SECOND SKIN EFFECT



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, elasthane



FIT4PROTOUCH

Antistatic operations - ATEX zones


- SMALL CUT RESISTANCE
- ELECTROSTATIC PROTECTION
- HIGH VISIBILITY



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, carbon



ANTISTATIC

In some atmospheric conditions, objects and people have an electrostatic charge which results from the accumulation of electric charges and can cause electrification phenomena.

To be antistatic, a fabric must discharge quickly and not accumulate charges.

Our FIT4PROTOUCH reference meets the requirements of the EN 16350 standard specific to protective gloves with electrostatic properties. Therefore the FIT4PROTOUCH can be worn in electrostatic and ATEX (ATmosphère Explosive) zones.



FULLSENS

Thin and cutting part handling

- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- MAXIMUM CUT RESISTANCE (43.9 N)
- SECOND SKIN EFFECT



SIZES: 6 TO 12

COMPOSITION:

Polyurethane, reinforced polyamide, mineral fibre, stainless steel



BLACKTACTIL/O

Handling, removal from the press

- VERY HIGH CUT RESISTANCE (28.2 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE



SIZES: 6 TO 11

COMPOSITION:

High tenacity polyethylene, mineral fibres



BLACKTOPNIT

Invar handling

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- LEAVES NO MARKS



SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres



SKINPRO

Maintenance operations

- ULTRA LIGHTWEIGHT
- BEST ALTERNATIVE TO DISPOSABLE GLOVES



SIZES: 7 TO 11

COMPOSITION:

Polyurethane, polyester





HANDLE

WETCUTO1-EVOLUTION

Handling and assembly


- SMALL CUT RESISTANCE
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester



WETCUTO3-EVOLUTION

Handling and assembly


- HIGHLY CUT RESISTANT
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinsoft, mineral fibres, polyamide, polyester



WETCUTO3M-EVO

Handling and assembly


- HIGHLY CUT RESISTANT
- GRIP IN WET ENVIRONMENTS
- EXTENDED WRIST PROTECTION



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester



WETCUTO5-EVOLUTION

Handling and assembly


- MAXIMUM CUT RESISTANCE (31.4 N)
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester



INDUSTRY



CRIO

Cryogenic gas handling


- PROTECTS FROM CRYOGENIC COLD (-196°C)
- CLOSURE ADJUSTABLE ON THE FOREARM
- LEATHER THAT DOES NOT HARDEN ONCE DRY



SIZES: 8 TO 11

COMPOSITION:

Cow leather, wool, cotton,
Porelle membrane



CRIOBC

Cryogenic gas handling


- PROTECTS FROM CRYOGENIC COLD (-196°C)
- WRIST PROTECTION WITH VEIN PATCH
- LEATHER THAT DOES NOT HARDEN ONCE DRY



SIZES: 8 TO 11

COMPOSITION:

Cow leather, wool, cotton,
Porelle membrane



CRYO LINE

Complementary products for **total protection**
for cryogenic handling.



GUETRECRYO
Gaiters

T-CRYO
Apron



SPEEDNET

Paint handling and surface cleaning

- LEAVES SURFACES CLEAN AND FREE OF MARKS
- DOES NOT FLUFF
- IMPROVED PERFORMANCES AFTER WASHING



SIZES: 6 TO 11

COMPOSITION:
Microfibre

TN27NS

Clean room operations

- DOES NOT FLUFF
- DOUBLE HEM TO PREVENT FRAYING



SIZES: 6 TO 11

COMPOSITION:
Polyamide

INDUSTRY

B MECANO

Drainage operations

- AMBIDEXTROUS
- SUITABLE FOR PEOPLE SUFFERING FROM LATEX ALLERGY
- OIL RESISTANT



SIZES: 7 TO 10

COMPOSITION:
Nitrile



B SKINTOUCH

Fine maintenance and quality control

- SECOND SKIN: 18 GAUGE, 40% THINNER THAN 13 GAUGE
- SOBER, STAIN RESISTANT BLACK COLOUR



SIZES: 6 TO 12

COMPOSITION:
Polyurethane, nylon



Build with the elements

EXTRACT

- 88. FEELPRO
- 88. MAXIPRO
- 88. CANADA
- 88. DURANIT-IMPACT

DEMOLISH

- 89. RESCUEPRO
- 89. WINTERPRO
- 89. BACKPROTECT
- 89. VIBRAPROTECT

BUILD

- 90. MACPRO
- 90. DURANIT-ONE
- 90. DURANIT-ULTRA
- 90. BLACKSTICK+
- 91. COLDPRO
- 91. GRIPRO
- 91. LIQUIDO

- 91. DURANIT-PLUS
- 92. SPLITWELD
- 92. FITXTRA
- 92. WETCUT05-EVOLUTION
- 92. OPTIPRO
- 93. GASPRO
- 93. WETPRO
- 93. BLACKTOP
- 93. SOFTPRO

WORK

- 94. CARPRO
- 94. WHITEPRO
- 94. SKINPRO
- 94. MIDSEASON





EXTRACT

FEELPRO

Machinery operation

- SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY

TOP SALES

CO₂ 1.1 Kg eq.

STANDARD 100
15.HCN.68777
Hohenstein HTTI

OEKO TEX®

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide, elastane



EUROPEAN FOOD CONTACT APPROVAL

B MAXIPRO

Machinery operation in wet weather

- FULL HAND PROTECTION
- EXCELLENT GRIP
- WATER AND GREASE RESISTANT

CO₂ 2.0 Kg eq.

STANDARD 100
2012PK0113
AITEK
www.oeko-tex.com

OEKO TEX®

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

SIZES: 8 TO 11

COMPOSITION:

Nitrile, polyamide



B CANADA

Machinery operation in wet and cold weather

- WITHSTANDS COLD DOWN TO 0°C
- GOOD GRIP
- EXTREMELY SOFT ON THE SKIN

TOP SALES

CO₂ 1.7 Kg eq.

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

SIZES: 6 TO 11

COMPOSITION:

Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL

B DURANIT-IMPACT

Handling and extraction with risk of impacts

- STANDARD SHOCK PROTECTION AND PROTECTION FROM CRUSHING RISKS
- HIGHLY CUT RESISTANT
- MAINTAINED COMFORT AND FLEXIBILITY

NEW

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elastane, thermoplastic





DEMOLISH

B RESCUEPRO

Heavy load handling

- MAXIMUM RESISTANCE TO MECHANICAL RISKS
- STANDARD SHOCK PROTECTION
- LOOP TO EASILY HANG AND DON THE GLOVES



SIZES: 8 TO 11

COMPOSITION:

High tenacity polyethylene, mineral fibres, polyurethane, cow split leather, D3O®, thermoplastic



B WINTERPRO

Machinery operation in wet and cold weather

- WITHSTANDS COLD DOWN TO -10°C
- FULL HAND PROTECTION
- GOOD TOOL GRIP



SIZES: 7 TO 11

COMPOSITION:

Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL

BACKPROTECT

Quarries and large object transport

- STANDARD SHOCK PROTECTION ON THE BACK OF THE HAND
- GOOD GRIP



SIZES: 8 TO 10

COMPOSITION:

Natural rubber, polyamide, cotton



VIBRAPROTECT

Use of vibrating equipment (hammer drill, pneumatic drill)

- VALIDATED BY PUBLIC WORKS PROFESSIONALS (CAPEB)
- STANDARDISED VIBRATION ABSORPTION
- OPTIMISED ERGONOMICS FOR INTENSIVE WORK



SIZES: 8 TO 11

COMPOSITION:

Rubber, polyester, cotton



BUILDING



B MACPRO

Masonry and cladding

- VALIDATED BY MASONS (CAPEB)
- EXCELLENT TOOL GRIP
- HIGHLY CUT RESISTANT (24 N)



SIZES: 8 TO 11

COMPOSITION:

Latex, high tenacity polyethylene, mineral fibres



B DURANIT-ONE

Handling operations


- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, elasthane



B DURANIT-ULTRA

Handling sheet metal and glass


- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane



BLACKSTICK+

Carpenter, joiner, cabinet maker

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- HIGH PERFORMANCE RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

High tenacity polyethylene, polyurethane, cow split leather, mineral fibres





B COLDPRO

Stone-work in cold weather

- WITHSTANDS COLD DOWN TO -10°C
- EXCELLENT GRIP
- VISIBLE COLOUR




CO₂
5.6 Kg eq.



SIZES: 8 TO 11

COMPOSITION:
Latex, acrylic



B DURANIT-PLUS

Roofer (handling tiles, slates, etc.)

- HIGHLY CUT RESISTANT
- SECOND SKIN EFFECT
- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE



OEKO TEX®
STANDARD 100
15.HCN.68777
Hohenstein HTTI


CO₂
1.0 Kg eq.



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane



B LIQUIDO

Preparation and facade specialist

- GOOD GRIP
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES
- FOREARM PROTECTION (35 CM)



SIZES: 7 TO 10

COMPOSITION:
Nitrile, polyester



B GRIPRO

Stone work

- EXCELLENT GRIP
- VISIBLE COLOUR



CO₂
2.4 Kg eq.



SIZES: 8 TO 11

COMPOSITION:
Latex, polycotton



BUILDING



B SPLITWELD

Welding and sheet metal work

- WELDER STANDARD
- SUITABLE FOR WELD MAINTENANCE AND REPAIRS
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY




CO₂
4.1 Kg eq.



SIZES: 7 TO 11

COMPOSITION:
Cow split leather



B FITXTRA

Thermal assembly operations

- SMALL CUT RESISTANCE
- SECOND SKIN EFFECT
- COOL SENSATION



CO₂
1.7 Kg eq.



SIZES: 6 TO 11

COMPOSITION:
Polyurethane, high tenacity polyethylene, polyamide



WETCUTO5-EVOLUTION

Handling and assembly

- MAXIMUM CUT RESISTANCE (31.4 N)
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING




LEATHER TANNED
IN FRANCE



SIZES: 7 TO 12

COMPOSITION:
Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester



B OPTIPRO

Assembly using vibrating tools

- SUITABLE FOR LOW VIBRATION TOOLS
- NON-SLIP FINGERTIPS
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 8 TO 11

COMPOSITION:
Polyester, polyester microfibre

2016/425 - MINOR RISKS



B GASPRO

Handling acids and solvents

- EXCELLENT GRIP IN GREASY OR WET CONDITIONS
- 35 CM FOREARM PROTECTION
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



SIZES: 9 AND 10

COMPOSITION:
PVC, nitrile, polyamide



B WETPRO

Sewer work

- PROTECTION EXTENDED UP TO THE SHOULDER (60 CM)
- ARM ADJUSTMENT USING A TIGHTENING ELASTIC
- GOOD GRIP



SIZES: 9 TO 11

COMPOSITION:
PVC, cotton



B BLACKTOP

Work at height

- MAXIMUM CUT RESISTANCE (**32.1 N**)
- GRIP IN OILY CONDITIONS
- ERGONOMIC REINFORCEMENT FOR ROPE PASSAGE



SIZES: 7 TO 11

COMPOSITION:
Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres



B SOFTPRO

Formwork operations

- FULL HAND PROTECTION
- SUPPLE, PLEASANT TO WEAR LEATHER
- TIGHTENING ELASTIC AT THE WRIST



SIZES: 8 TO 11

COMPOSITION:
Cow leather

2016/425 - MINOR RISKS



B CARPRO

Tile laying

- VALIDATED BY TILERS AND CAPEB
- PERFECT FOR SMOOTHING GROUTING
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 8 TO 11

COMPOSITION:
Nitrile, polyester



B WHITEPRO

Painting and plastering

- WHITE GLOVE TO WORK WITHOUT LEAVING MARKS
- ULTRA LIGHTWEIGHT
- BEST ALTERNATIVE TO DISPOSABLE GLOVES



SIZES: 7 TO 11

COMPOSITION:
Polyurethane, polyester



B SKINPRO

Laying floor and wall coverings

- ULTRA LIGHTWEIGHT
- BEST ALTERNATIVE TO DISPOSABLE GLOVES



SIZES: 7 TO 11

COMPOSITION:
Polyurethane, polyester



B MIDSEASON

Outdoor works and installations

- IDEAL FOR COLD AND WET ENVIRONMENTS (DOWN TO 0°C)
- 3X MORE LONG-LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- PLEASANT SKIN CONTACT



SIZES: 7 TO 12

COMPOSITION:
Nitrile, acrylic





Storing- Preparing & Transporting

PREPARE - PACK

98. COLD-SOFT
98. COLD-CONTROL
100. CANADA
100. WINTERPRO
100. BLUE-ICE
100. ONTARIO
101. SPEEDNET
101. ZPP25
101. EPSBPA
101. BACKPROTECT
102. FULLSENS
102. FIT4PROTOUCH
102. FEELPRO
103. DURANIT-ULTRA
103. DURANIT-PLUS
103. DURANIT-ONE
103. DURANIT-IMPACT

TRANSPORT

104. FEELPRO
104. CANADA
104. SKINTOUCH
104. FITXTRA
105. SPEEDERIKP
105. SOULDIER

COORDINATE

106. FAUVE
106. PATROL

HANDLE- CONTROL

107. BACKPROTECT
107. DURANIT-ONE
107. FIT4PROTOUCH





COLD-CONTROL

Heated glove: cold logistics


- ENHANCED DURABILITY: REMOTE ELECTRONICS (WASHING AND BATTERY CHANGE POSSIBLE)
- 3 HEATING LEVELS
- INSULATING AND BREATHABLE TECHNICAL FABRIC



SIZES: 6 TO 12

COMPOSITION:

Goat leather, polyester-PTFE softshell, Primaloft®, neoprene, heating fabric



COLD-SOFT

Heated glove liner: cold logistics

- ENHANCED DURABILITY: REMOTE ELECTRONICS (WASHING AND BATTERY CHANGE POSSIBLE)
- 3 HEATING LEVELS
- THIN SUPPORT FOR IMPROVED SENSITIVITY



SIZES: 6 TO 12

COMPOSITION:

Polyester-PTFE softshell, recycled polyester, heating fabric

2016/425 MINOR RISKS

BATTERY

For heating solutions

- RECHARGEABLE BATTERIE
- AUTONOMY: UP TO 3H40 AT LOW HEATING LEVEL



CORDON-USB

For heating solutions

- USB-A DOUBLE JACK



INNOVATION

HEATING GLOVE



Optimised heating

Innovating heating patch for exposed areas

Adjustable

3 heating levels

Remote electronic system

Easy charging

Innovating technology

An ideal solution for professionals



SOCIAL:

Taking care of employees means giving yourself every chance of: recruiting them, keeping them, involving them and promoting them.



ECOLOGICAL:

Rostaing recovers your used gloves and systems. We take care of repairs and the recycling of the solution.



ECONOMIC:

Invest in a comfortable and durable solution!
Only replace the elements at the end of their service life (gloves or batteries).



B CANADA

Handling and fork lift driver in positive cold environments

- IDEAL FOR COLD AND WET ENVIRONMENTS DOWN TO 0°C
- GOOD GRIP
- FOOD HANDLING



SIZES: 6 TO 11

COMPOSITION:
Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL

B WINTERPRO

Handling and fork lift driver in negative cold environments

- WITHSTANDS COLD DOWN TO -10°C
- FULL HAND PROTECTION
- FOOD HANDLING



SIZES: 7 TO 11

COMPOSITION:
Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL

BLUE-ICE

Handling and fork lift driver in negative cold environments

- WITHSTANDS COLD DOWN TO -30°C
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- CUT RESISTANT



SIZES: 7 TO 11

COMPOSITION:
Cow split leather, wool, cotton



ONTARIO

Handling and fork lift driver in negative cold environments

- WITHSTANDS COLD DOWN TO -10°C
- COMFORT AND FLEXIBILITY THANKS TO THE FLEECE LINING
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



SIZES: 7 TO 11

COMPOSITION:
Cow leather, recycled polyester





PREPARE-PACK

SPEEDNET

Warehouse operator and fork lift driver - fragile products

- LEAVES SURFACES CLEAN AND FREE OF MARKS
- DOES NOT FLUFF
- IMPROVED PERFORMANCES AFTER WASHING



SIZES: 6 TO 11
COMPOSITION:
 Microfibre

ZPP25

Warehouse operative and fork lift driver - liner glove

- INSULATES FROM NEGATIVE COLD (-5°C)
- USED AS A LINER GLOVE IT INCREASES COMFORT
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 6 TO 11
COMPOSITION:
 Polypropylene, elasthane

2016/425 MINOR RISKS


EPS7BPA

Warehouse operator and fork lift driver - temperate environment

- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY
- REINFORCED VEIN PROTECTION
- FULL HAND PROTECTION



SIZES: 6 TO 11
COMPOSITION:
 Goat leather



BACKPROTECT

Warehouse operator and fork lift driver - bulky products

- REDUCES THE RISK OF FINGERS BEING CRUSHED
- GOOD GRIP



SIZES: 8 TO 10
COMPOSITION:
 Natural rubber, polyamide, cotton





FULLSENS

Handling and warehouse operative in a dry environment

- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- MAXIMUM CUT RESISTANCE (43.9 N)
- SECOND SKIN EFFECT



SIZES: 6 TO 12

COMPOSITION:

Polyurethane, reinforced polyamide, mineral fibre, stainless steel



FIT4PROTOUCH

Handling and warehouse operative in a dry environment


- SMALL CUT RESISTANCE
- ELECTROSTATIC PROTECTION
- HIGH VISIBILITY



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, carbon



FEELPRO

Handling and warehouse operative in a dry environment

- SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY



SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide, elastane



OUR "TOUCH" TECHNOLOGY

A glove solution compatible with touch screens or tablets.

Our touch gloves are especially suited to logistics and transport where the use of touch devices is increasing.

Using Rostaing touch gloves, stay protected and connected.



PREPARE - PACK

B DURANIT-ULTRA

Use of banding machines


- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane



B DURANIT-PLUS

Use of banding machines


- HIGHLY CUT RESISTANT
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane



B DURANIT-ONE

Warehouse operator, fork lift driver - greasy environment


- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, elasthane



DURANIT-IMPACT

Handling with risk of impacts


- SHOCK AND CRUSHING RISK PROTECTION
- HIGHLY CUT RESISTANT
- MAINTAINED COMFORT AND FLEXIBILITY



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane, thermoplastic





FEELPRO

Driver, delivery driver - temperate environment

- SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY



SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide, elasthane



EUROPEAN FOOD CONTACT APPROVAL

CANADA

Driver, delivery driver - wet and positive cold environment

- IDEAL FOR COLD AND WET ENVIRONMENTS DOWN TO 0°C
- GOOD GRIP
- FOOD HANDLING



SIZES: 6 TO 11

COMPOSITION:

Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL

SKINTOUCH

Metro and urban train driving

- SECOND SKIN: 18 GAUGE, 40% THINNER THAN 13 GAUGE
- SOBER, STAIN RESISTANT BLACK COLOUR



SIZES: 6 TO 12

COMPOSITION:

Polyurethane, nylon



FITXTRA

Driver, delivery driver - temperate environment

- SMALL CUT RESISTANCE
- SECOND SKIN EFFECT
- COOL SENSATION



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, polyamide





TRANSPORT

SPEEDER1KP

Motorcycle delivery

- ALL-WEATHER COMPATIBLE THANKS TO ITS WATER-REPELLENT LEATHER
- PERFECT HANDLEBAR GRIP AND HOLD
- FLEXIBLE D30® PROTECTION SHELLS



LEATHER TANNED
IN FRANCE



SIZES: 6 TO 12

COMPOSITION:

Goat leather, silicone amara, polyester, D30®



B SOULDIER

Bicycle delivery

- WATER REPELLENT BACK
- EXCELLENT GRIP
- 2X MORE LONG LASTING: REINFORCED 1ST WEAR ZONE



SIZES: 6 TO 10

COMPOSITION:

Polyester microfibre, silicone, polyamide



TECHNOLOGY D30®

Built into the palms or backs of gloves, smart D30® foam helps protect your hands subjected to shocks or high energy on impact.

HOW DOES IT WORK?



Supple and flexible material



Absorbs and dissipates impact energy



Return to the flexible state





FAUVE

Station master and control

- TOP END LEATHER
- EXTREME FLEXIBILITY
- DISCRETE COLOUR



SIZES: 6 TO 12

COMPOSITION:
Lamb leather, silk

2016/425 MINOR RISKS

PATROL

Cold weather control

- OPTIMISED COMFORT
- CUT RESISTANT
- WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



NEW

LEATHER TANNED
IN FRANCE



SIZES: 6 TO 11

COMPOSITION:
Goat leather, cotton, mineral fibres, para-aramid,
high tenacity polyethylene





HANDLE-CONTROL

BACKPROTECT

Maintenance and handling of gas canisters

- PROTECTS FROM HAND CRUSHING RISKS
- GOOD GRIP



SIZES: 8 TO 10

COMPOSITION:

Natural rubber, polyamide, cotton



B DURANIT-ONE

Fine maintenance


- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, elasthane



FIT4PROTOUCH

Maintenance of electric bicycles and push scooters


- ELECTROSTATIC PROTECTION
- SMALL CUT RESISTANCE
- HIGH VISIBILITY



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, carbon



Grow up, learn & play

WORK LIKE GROWN-UPS

- 111. SUPERMAGMA
- 111. SUPERGREEN
- 111. SUPERELECTRO
- 112. SUPERFREEZE
- 112. SUPERMAGNETIC
- 112. SUPERGRAVITY

CREATIVE LEISURE ACTIVITIES

- 113. ANABEL
- 113. AXEL

OUTDOOR LEISURE ACTIVITIES

- 114. EUGENE
- 114. PROSPER

SMALL GARDENING JOBS

- 115. GASTON
- 115. MARGOT
- 115. LISON



ROSTAINING
THE POWER OF DOING...
NOT EVEN AFRAID!





WORK LIKE THE GROWN-UPS

B SUPERMAGMA

Diy and outdoor leisure activities

- UV REACTIVITY
- FLEXIBLE AND COMFORTABLE
- ADJUSTED TO THE HAND



NEW



SIZES: 6-8 YEAR-OLD/ 9-11 YEAR-OLD

COMPOSITION:

Polyester, recycled polyester

B SUPERGREEN

Gardening and outdoor leisure activities

- NATURE OBSERVATION POWER (BUILT-IN MAGNIFYING GLASS)
- EXCELLENT GRIP
- RESISTANCE TO DAMP



NEW



SIZES: 6-8 YEAR-OLD/ 9-11 YEAR-OLD

COMPOSITION:

Polyester, latex

B SUPERELECTRO

Diy and outdoor leisure activities

- PHOSPHORESCENT POWER
- GRIP AND ANTI-SHOCK REINFORCEMENT
- CLOSURE ADJUSTABLE AT THE WRIST



NEW



SIZES: 6-8 YEAR-OLD/ 9-11 YEAR-OLD

COMPOSITION:

Polyamide, recycled polyester microfibre, amara, D3O





B SUPERFREEZE

Mid-season Diy and leisure activities

- HOLOGRAPHIC POWER
- SOFT AND WARM KNIT
- EXCELLENT GRIP



NEW



SIZES: 6-8 YEAR-OLD/ 9-11 YEAR-OLD

COMPOSITION:
Polyester, elasthane, silicone

B SUPERMAGNETIC

Diy and outdoor leisure activities

- ATTRACTING POWER (WRIST MAGNET)
- EXCELLENT GRIP
- CLOSURE ADJUSTABLE AT THE WRIST



NEW



SIZES: 6-8 YEAR-OLD/ 9-11 YEAR-OLD

COMPOSITION:
Polyester, elasthane, silicone

B SUPERGRAVITY

Diy and outdoor leisure activities

- ADHERENCE POWER
- SECOND SKIN EFFECT
- EXCELLENT GRIP



NEW



SIZES: 6-8 YEAR-OLD/ 9-11 YEAR-OLD

COMPOSITION:
Polyester, elasthane, silicone





B ANABEL

Leisure activities (scooter, bike, painting)

- 1ST PROTECTION: DIRT, SCRATCHES
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- GRIP ADAPTED TO ALL OBJECTS



TOP SALES
CO₂
0.8 Kg eq.



SIZES: 3-4 YEAR-OLD/ 5-6 YEAR-OLD

2016/425 MINOR RISKS

COMPOSITION:
Recycled polyamide

B AXEL

Leisure activities (scooter, bike, painting)

- 1ST PROTECTION: DIRT, SCRATCHES
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- GRIP ADAPTED TO ALL OBJECTS



CO₂
0.8 Kg eq.



SIZES: 3-4 YEAR-OLD/ 5-6 YEAR-OLD

2016/425 MINOR RISKS

COMPOSITION:
Recycled polyamide



YOUTH



B EUGENE

Gardening and games - cold and wet environment

- FOR MID-SEASON LEISURE ACTIVITIES (0 TO 15 °C)
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- EXTREMELY SOFT ON THE SKIN



CO₂
0.8 Kg eq.



SIZES: 4-6 YEAR-OLD AND 6-8 YEAR-OLD

COMPOSITION: 2016/425 MINOR RISKS
Nitrile, acrylic

B PROSPER

Push scooter, bicycle - cold environment

- GOOD GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- SO SOFT!



CO₂
1.3 Kg eq.



SIZES: 3-6 YEAR-OLD

COMPOSITION: 2016/425 MINOR RISKS
Polyester, elasthane





B GASTON

Gardening and leisure activities

- EXCELLENT GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- 100% RECYCLED POLYESTER KNIT



SIZES: 4-6 YEAR-OLD AND 6-8 YEAR-OLD

COMPOSITION: 2016/425 MINOR RISKS
Latex, recycled polyester

B MARGOT

Gardening and leisure activities

- EXCELLENT GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- 100% RECYCLED POLYESTER KNIT



SIZES: 4-6 YEAR-OLD AND 6-8 YEAR-OLD

COMPOSITION: 2016/425 MINOR RISKS
Latex, recycled polyester

B LISON

Gardening and leisure activities

- EXCELLENT GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- 100% RECYCLED POLYESTER KNIT



SIZES: 4-6 YEAR-OLD AND 6-8 YEAR-OLD

COMPOSITION: 2016/425 MINOR RISKS
Latex, recycled polyester

RECYCLED POLYESTER

The three gloves on this page are fully in line with our **CSR eco-design approach** .

They are more environmentally friendly because they are made from **100% recycled polyester and natural latex**.

Polyester can be recycled **from textile production off-cuts, used clothing and also plastic bottles**.

Recycled polyester is used to "clean" the oceans of the waste that pollutes them.

Do it yourself

REPOTTING & WEEDING

119. NUDE
119. ROOTS

PRUNE

120. ONE4ALL
120. BOHO
120. MISS
120. MISTER

HANDLING SMALL THORNY PLANTS

121. PROTECT
121. PROTECTMAX

PLANT

122. FLOWER
122. VISIBLE
123. MAXIMA.F
123. MAXIMA.H
123. TRADITION
124. FRENCHIE
124. JEAN

MAJOR WORKS

125. DENIM
125. T.DENIM

MAINTAINING THE GARDEN

126. SOULDIER.F
126. SOULDIER.H
127. COCOON
127. MONTBLANC

ABRASIVE WORK

129. MAXTEEN.F
129. MAXTEEN.G
130. MAXFEEL
130. MAXTOP
130. MAXSAFE

CUTTING WORK

132. MAXSTRONG.F
132. MAXSTRONG.G
132. MAXIMPACT

MID-SEASON WORK

133. CANADA
133. MAXGRIP

MULTI- PURPOSE


135. BASIC
135. FUSHIA
135. NERINE
135. PLANT
136. WORK
136. CONTACT
136. DRYFEEL
137. WGB
137. CHALEUR
137. SKINTOUCH
138. LIQUIDO
138. ENTRETIEN
138. MECANO
138. WETPRO



AT HOME



Garden



"CHOOSE YOUR GLOVE AND I'LL
TELL YOU WHO YOU ARE"



GARDEN is a product line that began in 2019. Acclaimed for its quality and trendy look and designed using psycho-graphic criteria, take the test to see which glove is for you!



B NUDE

All small gardening jobs

- WELL-BEING WITH EUCALYPTUS ESSENTIAL OILS
- 90% NATURAL: BAMBOO FIBRES
- EXTREMELY SOFT ON THE SKIN



SIZES: 6 TO 8

COMPOSITION:

Latex, bamboo fibres



B ROOTS

All small gardening jobs

- TRENDY: NATURE AND UNISEX LOOK
- STAINS ARE NOT VISIBLE
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide



SENSORY INNOVATION ACCORDING TO ROSTANG

Surprise your customers with the NUDE glove which offers an **innovating olfactory experience**.

Eucalyptus globulus essential oil microcapsules are included in the glove coating.

Handle, smell and let yourself bathe in the **delicate fragrance** which will last as long as the glove.



B ONE4ALL

Pruning, planting, weeding

- WEAR INDICATOR IN THE HONEYCOMB
- PALM AND FINGER PROTECTION
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



OEKO TEX®
STANDARD 100
15.HCN.68777
Hohenstein HTTI

CO₂
1,5 Kg eq.



SIZES: 7 TO 11
COMPOSITION:
Nitrile, polyamide



B BOHO

Pruning, planting, weeding

- 90% NATURAL: BAMBOO FIBRES
- EXTREMELY SOFT SKIN CONTACT
- GRIP ADAPTED TO ALL TOOLS



CO₂
1,8 Kg eq.



SIZES: 6 TO 8
COMPOSITION:
Latex, bamboo fibres



B MISS

Pruning, planting, weeding

- FULL PROTECTION
- TRENDY LOOK
- STAYS CLEAN: STAIN TREATMENT



SIZES: 6 TO 8
COMPOSITION:
Goat leather, Skinsoft



B MISTER

Pruning, planting, weeding

- FULL PROTECTION
- TRENDY LOOK
- STAYS CLEAN: STAIN TREATMENT



SIZES: 8 TO 10
COMPOSITION:
Goat leather, Skinsoft





HANDLING SMALL THORNY PLANTS

B PROTECT

Pruning, rose and small thorny bush planting

- THE THICK LATEX PROTECTS FROM SMALL THORNS
- EXCELLENT SHEAR GRIP
- THE THORNS DO NOT GET STUCK IN THE WOVEN SUPPORT



CO₂
4.2 Kg eq.



SIZES: 6 TO 10

COMPOSITION:
Latex, cotton



B PROTECTMAX

Pruning, rose and small thorny bush planting

- THE THICK LATEX PROTECTS FROM SMALL THORNS
- EXCELLENT SHEAR GRIP
- EXTENDED FOREARM PROTECTION




CO₂
6.5 Kg eq.



SIZES: 7 TO 10

COMPOSITION:
Latex, cotton



AT HOME



PLANTING

B FLOWER

Planting, weeding, watering

- STAYS WHITE! : PERFECTLY WASHABLE
- ECOLOGICAL: COLOURING-FREE LATEX
- PERFECT TOOL GRIP



CO₂
2.1 Kg eq.



SIZES: 6 TO 8

COMPOSITION:
Latex, recycled polyester



B VISIBLE

Planting, weeding, watering

- PERFECT TOOL GRIP
- BRIGHT COLOUR TO FIND THE GLOVES QUICKLY
- PALM AND FINGER PROTECTION



CO₂
2.3 Kg eq.



SIZES: 8 TO 11

COMPOSITION:
Latex, recycled polyester





B MAXIMA.F

Planting, weeding, watering

- FULL HAND PROTECTION: AN ALTERNATIVE TO LEATHER
- SUITABLE FOR INTENSE PLANTING WORK
- CLOSURE ADJUSTABLE AT THE WRIST



OEKO TEX® STANDARD 100
15.HCN.68777
Hohenstein HTTI

CO₂
1.7 Kg eq.



SIZES: 7 AND 8

COMPOSITION:
Nitrile, polyamide



B MAXIMA.H

Planting, weeding, watering

- FULL HAND PROTECTION: AN ALTERNATIVE TO LEATHER
- SUITABLE FOR INTENSE PLANTING WORK
- CLOSURE ADJUSTABLE AT THE WRIST



OEKO TEX® STANDARD 100
15.HCN.68777
Hohenstein HTTI



SIZES: 8 TO 10

COMPOSITION:
Nitrile, polyamide



B TRADITION

Planting, digging

- FULL HAND PROTECTION
- EXTENDED WRIST PROTECTION
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



LEATHER TANNED
IN FRANCE

CO₂
1.0 Kg eq.



SIZES: 6 TO 11

COMPOSITION:
Cow leather



AT HOME



B JEAN

All gardening jobs

- OVER-CYCLED GLOVE: RECYCLING OF LEATHER AND DENIM OFF-CUTS
- EACH GLOVE IS UNIQUE
- DAMP RESISTANT THANKS TO THE WATERPROOF LEATHER



SIZES: 6 TO 10

COMPOSITION:

Organic cotton denim, cow split leather



B FRENCHIE

Planting, digging

- ECO-DESIGNED: END OF LEATHER STOCK
- LIMITED EDITION: UNIQUE MODEL!
- DAMP RESISTANT THANKS TO THE WATERPROOF LEATHER



SIZES: 6 TO 10

COMPOSITION:

Cow leather

2016/425 MINOR RISKS



OVERCYCLING ACCORDING TO ROSTAING

An eco-responsible design approach to minimise environmental impacts:

Local production in a short circuit:

The FRENCHIE and JEAN gloves are made in France, in our workshop in Villieu (Ain) using leather tanned in Italy and denim woven in Charlieu (Loire).

In this way, we support local employment and reduce transport and logistics costs.

Reuse of declassified materials:

The furniture and clothing industries declassify certain materials for a variety of reasons.

We recover these "declassified" materials and recycle them into the design of protective gloves.





B DENIM

Wood and stone working

- HIGHLY CUT RESISTANT
- VERY POPULAR: DENIM LOOK
- PERFECT TOOL GRIP



SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres



B T.DENIM

Picking and gardening work

- VALIDATED BY FLORISTS: WATERTIGHT AT THE PREPARATION TABLE LEVEL
- TOOL STORAGE POCKETS
- ADAPTED TO ALL SIZES: ADJUSTABLE STRAP



SINGLE SIZE

COMPOSITION:

Organic cotton denim



The T.DENIM apron matches all our Garden line gloves. It keeps you trendy at all times!

AT HOME



GARDEN MAINTENANCE

B SOULDIER.F

Handling hedge trimmers and lawnmowers

- VERSATILE AND WATER REPELLENT ON THE BACK
- CLOSURE ADJUSTABLE AT THE WRIST
- 2X MORE LONG-LASTING: REINFORCED 1ST WEAR ZONE



SIZES: 6 TO 8

COMPOSITION:

Polyester microfibre, silicone, polyamide

EN388



2X21X

B SOULDIER.H

Handling hedge trimmers and lawnmowers

- VERSATILE AND WATER REPELLENT ON THE BACK
- CLOSURE ADJUSTABLE AT THE WRIST
- 2X MORE LONG-LASTING: REINFORCED 1ST WEAR ZONE



SIZES: 8 TO 10

COMPOSITION:

Polyester microfibre, silicone, polyamide

EN388



2X21X





B COCOON

Cold weather glove liners, leisure activities

- 100% RECYCLED POLYESTER KNIT
- EXTREMELY SOFT ON THE SKIN
- HIGH VIZ: MARKING VISIBLE AT NIGHT



NEW



CO₂
0.7 Kg eq.



SIZE: 5 TO 10

COMPOSITION:
Recycled polyester

B MONTBLANC

Outdoor work in cold weather

- WITHSTANDS COLD DOWN TO -10°C
- COMFORT AND FLEXIBILITY THANKS TO ITS FLEECE LINING
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



NEW





CO₂
1.9 Kg eq.




SIZES: 7 TO 11

COMPOSITION:
Turned goat leather, recycled polyester



AT HOME



"touch" LINE

Touch screen compatible gloves that protect ALL hands and are suitable for ALL uses.





B MAXTEEN.F

Leisure activities

- SECOND SKIN EFFECT
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- CHILDREN LOVE IT: SPORTY AND PUNCHY LOOK



STANDARD 100
15.HCN.68777
Hohenstein HTTI

OEKO TEX®

CO₂
0.9 Kg eq.

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

SIZE: 9-11 YEAR-OLD

COMPOSITION:
Nitrile, polyamide



B MAXTEEN.G

Leisure activities

- SECOND SKIN EFFECT
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- CHILDREN LOVE IT: SPORTY AND PUNCHY LOOK



STANDARD 100
15.HCN.68777
Hohenstein HTTI

OEKO TEX®

CO₂
0.9 Kg eq.

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

SIZE: 9-11 YEAR-OLD

COMPOSITION:
Nitrile, polyamide



AT HOME



ABRASIVE WORK

B MAXFEEL

Pruning, sanding, painting

- SECOND SKIN EFFECT
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- PUNCHY LOOK FOR WOMEN AND SOBER FOR MEN



SIZES: 7-8 AND 9-10

COMPOSITION:
Nitrile, polyamide



B MAXTOP

Pruning, sanding, painting

- LIQUID BARRIER ON THE PALMS AND FINGERS
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- SOBER, UNISEX COLOUR



SIZES: 7 TO 12

COMPOSITION:
Nitrile, polyamide



B MAXSAFE

Virus protection glove liner (public transport, shopping, ...)

- THE GLOVE DESTROYS VIRUSES AND BACTERIA
- WASHABLE 100 TIMES
- 100% FRENCH MATERIALS AND MANUFACTURING



SIZES: 7 AND 9

COMPOSITION:
Polypropylene

2016/425 MINOR RISKS



BARRIER GLOVE

Viruses and bacteria



Materials and
manufacture

100% French



Compatible
**with touch
screens**



Durable

Effectiveness tested
after 100 washes



Thread
**treated against
Viruses
and bacteria**

Choose MAXSAFE

The 1st 100% French glove that bolsters your health protection

ROSTAING



CUTTING WORK

B MAXSTRONG.F

Wood and stone working

- FULL PROTECTION FOR HEAVY WORK
- COOL SENSATION
- LEASH LIKE SKIERS TO STOP LOSING GLOVES



OEKO
TEX®
STANDARD
100
15.HCN.68777
Hohenstein HTTI

CO₂
1.6 Kg eq.



SIZES: 6 TO 8

COMPOSITION:

Nitrile, high tenacity polyethylene



B MAXSTRONG.G

Wood and stone working

- FULL PROTECTION FOR HEAVY WORK
- COOL SENSATION
- LEASH LIKE SKIERS TO STOP LOSING GLOVES



OEKO
TEX®
STANDARD
100
15.HCN.68777
Hohenstein HTTI



SIZES: 8 TO 10

COMPOSITION:

Nitrile, high tenacity polyethylene



B MAXIMPACT

Intensive DIY work

- STANDARD SHOCK PROTECTION AND PROTECTION FROM CRUSHING RISKS
- HIGHLY CUT RESISTANT
- MAINTAINED COMFORT AND FLEXIBILITY




NEW



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane, thermoplastic



MID-SEASON WORK

B CANADA

Outdoor upkeep

- IDEAL IN COLD WEATHER DOWN TO 0°C
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- GOOD GRIP



TOP SALES



SIZES: 6 TO 11

COMPOSITION:
Nitrile, acrylic



B MAXGRIP

Any work requiring a good grip

- IDEAL IN COLD WEATHER DOWN TO 0°C
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- ECONOMIC, MORE DURABLE: AMBIDEXTROUS DESIGN



SIZES: 7 TO 11

COMPOSITION:
Acrylic, silicone

2016/425 MINOR RISKS



OUR TOUCH LINE

The biggest glove market, non-wearers are the majority. Our duty: to convince people to protect their hands because **in France there is an accident involving the hands every 4 minutes.** We investigated the reasons:

- “We can’t feel what we’re doing”
- “We take them off (to shake hands, use screens...)”
- “We sweat”

As a result, **we launched the Touch line in 2016** according to the following criteria:

- Thin and breathable materials (cooling thread, aerated coating...)
- A leash: to stop losing them or store them better
- The touch function to avoid taking them off





4 IN 1

Because it suits you!

MAKE LIFE EASIER WITH THE "4 IN 1", GLOVES!
1 GLOVE, SEVERAL USES AND HANDS
THAT ARE ALWAYS PROTECTED!



MULTI-PURPOSE

B PLANT

Planting, watering, handle tools, handling

- SECOND SKIN EFFECT
- RESISTANCE TO WATER SPRAY
- EXCELLENT GRIP



SIZES: 7 TO 9
COMPOSITION:
 Nitrile, polyamide



B NERINE

Small gardening jobs, re-potting, furniture assembly, painting

- GOOD GRIP
- SECOND SKIN EFFECT



SIZES: 6 TO 8
COMPOSITION:
 Latex, recycled polyester



B BASIC

Planting, handle tools, masonry, handling

- EXCELLENT GRIP
- PALM AND FINGER PROTECTION



SIZES: 6 TO 10
COMPOSITION:
 Latex, polycotton



B FUSHIA

Planting, handle tools, masonry, handling

- EXCELLENT GRIP
- PALM AND FINGER PROTECTION



SIZES: 6 TO 8
COMPOSITION:
 Latex, polycotton





B WORK

Planting, pruning, digging, outdoor work

- FULL HAND PROTECTION
- VEIN PATCH
- THE TREATED WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



SIZES: 9 TO 10

COMPOSITION:
Cow leather



B CONTACT

Pruning, lawn mower, weeding, driving

- THIN LEATHER FOR PRECISION WORK
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 7 TO 10

COMPOSITION:
Polyester, goat leather

2016/425 MINOR RISKS

B DRYFEEL

Mowing, pruning, woodworking, sanding

- 100% BREATHABLE
- LIGHTWEIGHT



SIZES: 7 TO 10

COMPOSITION:
Polyester

2016/425 MINOR RISKS





MULTI-PURPOSE

B WGB

Digging, handling, woodworking, plumbing

- WRIST PROTECTION



SIZE: 10

COMPOSITION:

Cow split leather, cotton

2016/425 MINOR RISKS

B CHALEUR

Taking dishes out of the oven, plancha, kitchen, hot part handling


- 2X MORE LONG LASTING: TURN IT INSIDE OUT
- FOR LEFT AND RIGHT HANDED PEOPLE: AMBIDEXTROUS
- WITHSTANDS 250°C FOR 10 SECONDS



SIZES: 8 AND 10

COMPOSITION:

Cotton, silicone



B SKINTOUCH

Precision mechanics, DIY, weeding, removals

- SECOND SKIN: 18 GAUGE, 40% THINNER THAN 13 GAUGE
- SOBER, STAIN RESISTANT BLACK COLOUR



SIZES: 6 TO 12

COMPOSITION:

Polyurethane, nylon



AT HOME

MULTI-PURPOSE

B LIQUIDO

Masonry, maintenance, watering, washing

- GOOD GRIP
- SUITABLE FOR PEOPLE SUFFERING FROM LATEX ALLERGY
- FOREARM PROTECTION (35 CM)



SIZES: 7 TO 10

COMPOSITION:
Nitrile, polyester



B ENTRETIEN

Maintenance, washing, market gardening, watering

- FOREARM PROTECTION
- NON-SLIP PALM EFFECT



SIZES: 7 AND 8

COMPOSITION:
Latex

2016/425 MINOR RISKS

B WETPRO

Pool, septic tank, manger maintenance, plumbing

- PROTECTION EXTENDED UP TO THE SHOULDER (60 CM)
- ARM ADJUSTMENT USING A TIGHTENING ELASTIC
- GOOD GRIP



SIZES: 9 TO 11

COMPOSITION:
PVC, cotton



B MECANO

Mechanics, dyeing, varnishing, household tasks

- RESISTANT TO CHEMICALS
- GUARANTEED SECOND SKIN EFFECT
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



SIZES: 7 TO 10

COMPOSITION:
Nitrile





4 IN 1
Because it suits you!

MAKE LIFE EASIER WITH THE "4 IN 1", **GLOVES!**
1 GLOVE, **SEVERAL USES** AND HANDS
THAT ARE ALWAYS **PROTECTED!**



Evasion

SPORTS/ HANDISPORTS

142. MAXTOP
142. MAXFEEL
142. GRIPRO
143. CANADA
143. COLDPRO
143. IVERNO
143. COLD-SOFT

HUNTING

144. SOULDIER
144. MIDSEASON
144. OPSB+
145. SPEEDNET
145. SKINTOUCH
145. MECANO
145. CUTFOOD

FISHING & CAVING

146. VISIBLE
146. MACPRO
146. PROTECTMAX

2 WHEELERS

147. SPEEDERIKP
147. SOULDIER
147. MAXGRIP

This world was born from voluntary and spontaneous feedback from our users. We realised that our protective gloves could also be worn and appreciated for other hobby or passion activities.

"DENIM gloves used to careen my boat did the trick. Good and practical!"



LEISURE





SPORTS / HANDISPORTS

B MAXTOP

Handisports - wheelchair sports

- EXCELLENT GRIP
- SOBER AND UNISEX
- LEASH LIKE SKIERS TO STOP LOSING GLOVES



SIZES: 7 TO 12

COMPOSITION:
Nitrile, polyamide



B MAXFEEL

Handisports - wheelchair sports

- EXCELLENT GRIP
- FOR EVERYONE: DIFFERENT COLOURS
- LEASH LIKE SKIERS TO STOP LOSING GLOVES



SIZES: 7-8 AND 9-10

COMPOSITION:
Nitrile, polyamide



B GRIPRO

Handisports - wheelchair sports

- EXCELLENT GRIP
- HIGH VISIBILITY



SIZES: 8 TO 11

COMPOSITION:
Latex, polycotton





SPORTS / HANDISPORTS

B CANADA

Outdoor leisure activities

- EXTREMELY SOFT ON THE SKIN; IDEAL FROM 0 TO 15°C
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- GOOD GRIP




TOP SALES



SIZES: 6 TO 11

COMPOSITION:
Nitrile, acrylic



B COLDPRO


Outdoor sports

- WITHSTANDS COLD DOWN TO -10°C
- EXCELLENT GRIP
- VISIBLE COLOUR



SIZES: 8 TO 11

COMPOSITION:
Latex, acrylic



B IVERNO


Outdoor sports - skiing

- WITHSTANDS COLD DOWN TO -10°C
- WATERPROOF, BREATHABLE MEMBRANE
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



SIZES: 7 TO 11

COMPOSITION:
Cow leather, polar fleece, polyester
Ripstop



B COLD-SOFT

Outdoor sports - skiing

- REMOTE ELECTONICS: FOR MORE DURABILITY (WASHING AND BATTERY CHANGE)
- 3 HEATING LEVELS
- THIN SUPPORT FOR IMPROVED SENSITIVITY



Product photos not contractually binding



SIZES: 6 TO 12

COMPOSITION:
Polyester-PTFE softshell, recycled polyester,
heating fabric

2016/425 MINOR RISKS



B SOULDIER

Shooting - beaters

- WATER REPELLENT AND BREATHABLE
- CAMOUFLAGE EFFECT
- 2X MORE LONG LASTING: REINFORCED 1ST WEAR ZONE



SIZES: 6 TO 10

COMPOSITION:

Polyester microfibre, silicone, polyamide

EN388



2X21X

B MIDSEASON

Shooting - beaters

- IDEAL FOR COLD AND WET ENVIRONMENTS (DOWN TO 0°C)
- SECOND SKIN EFFECT
- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE



SIZES: 7 TO 12

COMPOSITION:

Nitrile, acrylic

EN388



3131X

EN511



X1X

EN407



X1XXXX

OPSB+

Shooting - beaters

- MAXIMUM CUT RESISTANCE (32.1 N)
- OPTIMUM GRIP THANKS TO SILICONE PALM
- TRIGGER FINGER DEXTERITY



SIZES: 6 TO 11


COMPOSITION:

High tenacity polyethylene, polyurethane, D3O®, silicone amara, thermoplastic

EN388



4X42FP





SPEEDNET

Gun cleaning

- LEAVES SURFACES CLEAN AND FREE OF MARKS
- DOES NOT FLUFF
- IMPROVED PERFORMANCES AFTER WASHING



SIZES: 6 TO 11

COMPOSITION:
Microfibre

B SKINTOUCH

Gun cleaning

- SECOND SKIN: 18 GAUGE, 40% THINNER THAN 13 GAUGE
- SOBER, STAIN RESISTANT BLACK COLOUR



SIZES: 6 TO 12

COMPOSITION:
Polyurethane, nylon



B MECANO

Animal cleaning

- AMBIDEXTROUS
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



SIZES: 7 TO 10

COMPOSITION:
Nitrile



CUTFOOD

Butchering and boning

- MAXIMUM CUT RESISTANCE (45.3 N)
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 5 TO 13

COMPOSITION:
High tenacity polyethylene, mineral fibres, polyester, stainless steel, polypropylene



LEISURE



FISHING / POTHOLING

B VISIBLE:

Handling tools and fish

- EXCELLENT TOOL GRIP
- BRIGHT COLOUR TO FIND THE GLOVES QUICKLY
- PALM AND FINGER PROTECTION



SIZES: 8 TO 11

COMPOSITION:
Latex, recycled polyester



B MACPRO

Fish handling and potholing

- EXCELLENT GRIP OF RODS AND FISH
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 8 TO 11

COMPOSITION:
Latex, high tenacity polyethylene, mineral fibres



B PROTECTMAX

Oyster farming

- EXCELLENT GRIP
- ITS THICK LATEX WITHSTANDS SMALL PERFORATIONS




TOP SALES



SIZES: 7 TO 10

COMPOSITION:
Latex, cotton





SPEEDER1KP

Motorised devices - summer and mid-season

- TO MOTORCYCLING STANDARDS
- PERFECT HANDLEBAR GRIP AND HOLD
- FLEXIBLE D30® PROTECTION SHELLS



SIZES: 6 TO 12

COMPOSITION:

Goat leather, silicone amara, polyester, D30®



B SOULDIER

Bicycle, push scooter - regular use

- WATER-REPELLENT AND BREATHABLE
- EXCELLENT GRIP
- 2X MORE LONG LASTING: REINFORCED 1ST WEAR ZONE



SIZES: 6 TO 10

COMPOSITION:

Polyester microfibre, silicone, polyamide



B MAXGRIP

Bicycle, push scooter - mid-season

- EXCELLENT GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- ECONOMIC, MORE DURABLE: AMBIDEXTROUS DESIGN




SIZES: 7 TO 11

COMPOSITION:

Acrylic, silicone

2016/425 MINOR RISKS



Find your gloves by risk

CUTTING HANDLING LIGHTWEIGHT & MEDIUM

- 150. LEVEL A
- 151. LEVEL B
- 150. LEVEL D
- 152. LEVEL E
- 152. LEVEL F

CUTTING HANDLING HEAVY

- 154. LEVEL B/C
- 155. LEVEL D/E
- 154. LEVEL F

HEAT

- 156. 100°C
- 156. 250°C
- 158. 350°C
- 158. 500°C

COLD

- 160. POSITIVE COLD DRY
- 160. NEGATIVE COLD
- 161. WET POSITIVE COLD
- 161. EXTREME FROID

PERFORATION

- 162. PERFORATION

VIBRATIONS & SHOCKS

- 164. VIBRATIONS
- 165. SHOCKS

SKINTOUCH

- SECOND SKIN EFFECT
- SOBER AND UNISEX



SIZES: 6 TO 12

COMPOSITION: Polyurethane, nylon




DURANIT-ONE

- 3X MORE LONG-LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- GRIP IN OILY CONDITIONS



SIZES: 6 TO 12

COMPOSITION: Nitrile, polyamide, elasthane



MAXIPRO

- FULL PROTECTION OF THE HANDS
- EXCELLENT GRIP



SIZES: 8 TO 11

COMPOSITION: Nitrile, polyamide




DURANIT-PLUS

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- HIGH VISIBILITY



SIZES: 6 TO 12

COMPOSITION: Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane




DURANIT-IMPACT

- STANDARD PROTECTION FROM IMPACTS
- 3X MORE DURABLE: REINFORCEMENT 1ST WEAR ZONE



SIZES: 6 TO 12

COMPOSITION: Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane, thermoplastic




DURANIT-DRY

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- 3/4 WATERPROOFING FOR WET AND OILY ENVIRONMENTS



SIZES: 6 TO 12

COMPOSITION: Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane



FITXTRA

- COOL SENSATION
- SECOND SKIN EFFECT



SIZES: 6 TO 11

COMPOSITION: Polyurethane, high tenacity polyethylene, polyamide




FIT4PROTOUCH

- HIGH VISIBILITY
- ELECTROSTATIC PROTECTION



SIZES: 6 TO 11

COMPOSITION: Polyurethane, high tenacity polyethylene, carbon



PRIMACUFF

- AMBIDEXTROUS
- THUMB-HOLE COMFORT



SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP) 50 CM (WITH HOOK AND LOOP), 60 CM (WITH HOOK AND LOOP)

COMPOSITION: Polyamide, polyester, mineral fibres



ERGOPRIMA

- HIGH VISIBILITY
- MOVEMENT FACILITATED BY THE ERGONOMIC KNIT



SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP), 60 CM (WITH HOOK AND LOOP)

COMPOSITION: Polyamide, polyester, mineral fibres



LEVEL E

CUTS HANDLING LIGHTWEIGHT & MEDIUM

MACPRO


- VALIDATED BY MASONS
- EXCELLENT GRIP ON TOOLS



SIZES: 8 TO 11

COMPOSITION:

Latex, high tenacity polyethylene, mineral fibres



MASTERCUFF


- AMBIDEXTROUS
- CONTACT HEAT RESISTANCE TO 100°C



SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP), 60 CM (WITH HOOK AND LOOP)

COMPOSITION:

High tenacity polyethylene, mineral fibres, polyamide



BLACKTACTIL/O


- COLOUR ADAPTED TO USE
- SECOND SKIN EFFECT



SIZES: 6 TO 11

COMPOSITION:

High tenacity polyethylene, mineral fibres




ERGOMASTER

- VISIBLE COLOUR
- MOVEMENT FACILITATED BY ERGONOMIC KNIT



SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP), 60 CM (WITH HOOK AND LOOP)

COMPOSITION: Polyamide, high tenacity polyethylene, mineral fibres



LEVEL F

CUTS HANDLING LIGHTWEIGHT & MEDIUM


BLACKSTICK+

- GRIP IN OILY CONDITIONS
- EXCELLENT PERFORATION RESISTANCE



SIZES: 7 TO 11

COMPOSITION: Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres




RESCUEFITFLUO

- CLEAR FINGERS
- STANDARD PROTECTION FROM IMPACTS



SIZES: 6 TO 11

COMPOSITION: High-tenacity polyethylene, mineral fibre, polyurethane, cow split leather, D30®, thermoplastic



BLACKKNIT

- GRIP IN OILY CONDITIONS
- HIGHLY RESISTANT TO PERFORATION



SIZES: 7 TO 11

COMPOSITION: Nitrile, high tenacity polyethylene, mineral fibres



BLACKTACTIL

- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE



SIZES: 6 TO 12

COMPOSITION:

Polyurethane, high tenacity polyethylene, mineral fibres

EN388



4X42F



32.1 N

BLACKTACTILRC

- REINFORCEMENT OF THE 1ST WEAR ZONE
- ERGONOMIC KNIT



SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres

EN388



4X42F



32.1 N

BLACKTOP

- GRIP IN OILY CONDITIONS
- ERGONOMIC REINFORCEMENT



SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres

EN388



4X42F



32.1 N

DURANIT-ULTRA

- RETAINED FLEXIBILITY
- 3X MORE LONG LASTING: REINFORCEMENT 1ST WEAR ZONE



SIZES: 6 TO 12

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane

EN388



4X42F

EN407



X1XXXX



40 N

STOP-OILCUT

- GRIP IN OILY CONDITIONS
- PERFORATION RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, polyester, stainless steel

EN388



4X43F

EN407



X1XXXX



40.7 N

FULLSENS

- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- SOBER AND UNISEX



SIZES: 6 TO 12

COMPOSITION:

Polyurethane, reinforced polyamide, mineral fibre, stainless steel

EN388



3X41F



43.9 N


WETCUT01-EVOLUTION

- GRIP IN WET ENVIRONMENTS
- FULL PROTECTION OF THE HANDS



SIZES: 7 TO 12

COMPOSITION:
Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester




HYDROPRO

- CONTACT HEAT RESISTANCE UP TO 100°C
- WATERPROOFED LEATHER



SIZES: 8 TO 11

COMPOSITION:
Cow grain leather, para-aramid




PARARC+

- REINFORCED WEAR AREA AND FINGERTIPS
- EXCELLENT PERFORATION PERFORMANCE



SIZES: 8 TO 11

COMPOSITION:
Para-aramid, cow split leather



WETCUT05-EVOLUTION

- GRIP IN WET ENVIRONMENTS
- HIGHLY RESISTANT TO PERFORATION



SIZES: 7 TO 12

COMPOSITION:
Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester




METALSTRONG

- EXCELLENT PERFORATION PERFORMANCE
- SUPPLE BACK



SIZES: 7 TO 11

COMPOSITION:
Split cowhide leather, cotton, stainless steel, high tenacity polyethylene, polyamide




METALSTRONG+

- EXCELLENT PERFORATION PERFORMANCE
- REINFORCED HAND BACK PROTECTION



SIZES: 7 TO 11

COMPOSITION:
Split cowhide leather, cotton, stainless steel, high tenacity polyethylene, polyamide



WETCUTO3-EVOLUTION


- GRIP IN WET ENVIRONMENTS
- FULL PROTECTION OF THE HANDS



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinfoot, high tenacity polyethylene, polyamide, polyester



WETCUTO3M-EVOLUTION


- FOREARM PROTECTION
- GRIP IN WET ENVIRONMENTS



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinfoot, high tenacity polyethylene, polyamide, polyester



MASTERTOP

- HIGHLY RESISTANT TO PERFORATION
- GRIP IN WET ENVIRONMENTS



SIZES: 7 TO 12

COMPOSITION:

Split cowhide leather, polyamide, high tenacity polyethylene, mineral fibres



RIPEUR/CO

- EXCELLENT PERFORATION PERFORMANCE
- OIL BARRIER AND KEEPS A GOOD GRIP



SIZES: 7 TO 12

COMPOSITION:

Split cowhide leather, stainless steel, high tenacity polyethylene, polyamide



RIPDEXG

- EXCELLENT PERFORATION PERFORMANCE
- GRIP IN WET OR OILY ENVIRONMENTS



SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, stainless steel, high tenacity polyethylene, polyamide



RIPDEX LINE




LIGHT-WELD

- WELDER STANDARD
- SUITABLE FOR GRIPPING WELDING AND BRAZING RODS



SIZES: 6 TO 11

COMPOSITION:
Goat leather, para-aramid, mineral fibres, cotton




HEAT-BLACK

- RESISTANCE TO MOLTEN METAL SPRAY
- SELF-GRIPPING TIGHTENING



SIZES: 8 TO 12

COMPOSITION:
Goat leather, para-aramid, mineral fibres, cotton




SPLITWELD

- COMFORT LINING IN THE PALM
- WELDER STANDARD



SIZES: 7 TO 11

COMPOSITION:
Cow split leather




PARA4HEAT+

- HIGHLY RESISTANT TO CUTTING
- FOREARM PROTECTION



SIZES: 7 TO 10

COMPOSITION:
Para-aramid, cow split leather, cotton




PARA4HEAT

- COMFORTABLE LINING
- HIGHLY RESISTANT TO CUTS



SIZES: 7 TO 10

COMPOSITION:
Para-aramid, cotton




PROTECTMAX

- EXCELLENT GRIP
- WITHSTANDS SMALL PERFORATIONS RESISTANCE



SIZES: 7 TO 10

COMPOSITION:
Latex, cotton



ALUWELD

- WELDER STANDARD
- RESISTANCE TO MOLTEN METAL SPRAY



SIZES: 7 TO 11

COMPOSITION:

Cow split leather, aluminised fabric, wool, cotton



PROSOUD/1

- WELDER STANDARD
- HIGHLY RESISTANT TO CUTS (24.9 N)



SIZES: 6 TO 12

COMPOSITION:

Cow split leather, para-aramid, mineral fibres, cotton, polyester



PARACUFF


- CUT RESISTANT
- AMBIDEXTROUS



SIZES: 35 CM

COMPOSITION:

Para-aramid



HEATRESIST

- HIGHLY RESISTANT TO CUTS
- MAINTAINED SUPPLENESS



SIZES: 8 TO 11

COMPOSITION:

Para-aramid terry loop, cow split leather, wool, cotton



OILGRIP5


- OIL BARRIER
- MAXIMUM CUT RESISTANCE (42 N)



SIZES: 8 TO 11

COMPOSITION:

Para-aramid, cow split leather, silicone, cotton, mineral fibres



PROTRI-1


- HIGHLY RESISTANT TO CUTS
- WATER REPELLENT AND OIL-REPELLENT LEATHER



SIZES: 8 TO 11

COMPOSITION:

Cow split leather, para-aramid, mineral fibres, cotton, Porelle membrane



HEATRESIST+


- HIGHLY RESISTANT TO CUTS
- FOREARM PROTECTION



SIZE: 8 TO 11

COMPOSITION:

Para-aramid terry loop, cow split leather, wool, cotton, aluminised acrylic



HEATRESIST-MITT


- HIGHLY RESISTANT TO CUTS (29.2 N)
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SINGLE SIZE

COMPOSITION:

Para-aramid terry loop, wool, cotton, aramid



ROLLHEAT


- HIGHLY RESISTANT TO CUTS
- OIL BARRIER



SIZES: 7 TO 11

COMPOSITION:

Para-aramid terry loop, cotton



WARM250/50D2

- FOOD COMPATIBILITY
- DOES NOT SHRINK



SIZES: 8 TO 12

COMPOSITION:

Silicone, para-aramid, acrylic, cotton



WARM250D2


- FOOD COMPATIBILITY
- DOES NOT SHRINK



SIZES: 8 TO 12

COMPOSITION:

Silicone, para-aramid, acrylic, cotton



PROFUSION-1


- RESISTANT TO MINOR MOLTEN METAL SPRAY
- IMPROVED THERMAL PERFORMANCES



SIZES: 6 TO 12

COMPOSITION:

Cow split leather, aluminised fabric, para-aramid, mineral fibres, cotton, Porelle membrane



B7VERD


- VALIDATED BY FLUE MASONS
- HIGH TEMPERATURE RESISTANCE: UP TO 800°C



SINGLE SIZE

COMPOSITION:

Mineral fibres, silicone, cotton



COCOON

- EXTREMELY SOFT ON THE SKIN
- REFLECTIVE MARKING



SIZES: 5 TO 11
COMPOSITION:
 Recycled polyester

MAXGRIP

- EXCELLENT GRIP
- LEASH TO AVOID LOSING GLOVES LIKE SKIERS



SIZES: 7 TO 11
COMPOSITION:
 Acrylic, silicone
 2016/425 MINOR RISKS

ZPP25

- GOOD THERMAL INSULATION
- AMBIDEXTROUS




SIZES: 6 TO 11
COMPOSITION:
 Polypropylene, elasthane
 2016/425 MINOR RISKS

COLDPRO

- WITHSTANDS COLD DOWN TO -10°C
- EXCELLENT GRIP



SIZES: 8 TO 11
COMPOSITION:
 Latex, acrylic




ONTARIO

- COMFORT AND FLEXIBILITY THANKS TO THE FLEECE LINING
- WATER REPELLENT LEATHER



SIZES: 7 TO 11
COMPOSITION:
 Recycled polyester, cow leather




WINTERPRO

- EXCELLENT GRIP
- GOOD CUT RESISTANCE



SIZES: 7 TO 11
COMPOSITION:
 Nitrile, acrylic




IVERNO

- WATERPROOF AND BREATHABLE MEMBRANE
- WATER REPELLENT LEATHER



SIZES: 7 TO 11
COMPOSITION:
 Cow leather, polar fleece, polyester Ripstop



CANADA

- GOOD GRIP
- FOOD HANDLING



MIDSEASON

- 3X MORE LONG-LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- PLEASANT IN CONTACT WITH THE SKIN



SARMENT

- GOOD SHEAR GRIP
- WATER-REPELLENT REINFORCEMENT



COLDPROOF

- INSULATING WIND-PROOF TECHNOLOGY ON THE WHOLE HAND
- PITTARD'S LEATHER PROVIDING A GOOD GRIP



SIZES: 6 TO 11


COMPOSITION:
Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL


SIZES: 7 TO 12

COMPOSITION:
Nitrile, acrylic



SIZES: 8 TO 11

COMPOSITION:
Acrylic, nitrile, polyamide, para-aramid



SIZES: 6 TO 11

COMPOSITION:
Goat leather, polyester-PTFE softshell, fleece



ALPIN

- INSULATING WIND-PROOF TECHNOLOGY ON THE WHOLE HAND
- THUMB/INDEX FINGER REINFORCEMENTS USE OF POLES



SIZES: 6 TO 11

COMPOSITION:
Goat leather, polyester-PTFE softshell, recycled polyester wadding, fleece, D3O



2121X


BLUE-ICE

- INCREASED SERVICE LIFE THANKS TO THE PALM REINFORCEMENT
- RESISTANT TO CUTS



SIZES: 7 TO 11

COMPOSITION:
Cow split leather, wool, cotton



4234C 23X


CRIO

- PROTECTS FROM CRYOGENIC COLD (-196°C)
- EXTENDED FOREARM PROTECTION



SIZES: 8 TO 11

COMPOSITION:
Cow leather, wool, cotton, Porelle membrane



3223X 231 X2XXXX

HEATED GLOVES

- 3 HEATING LEVELS
- WORN COMPONENT RECOVERY SOLUTION



SIZES: 6 TO 12

COMPOSITION:
Polyester-PTFE softshell, recycled polyester, heating fabric

2016/425 MINOR RISKS


PROTECTMAX

- EXCELLENT GRIP
- WITHSTANDS SMALL PERFORATIONS THANKS TO THE THICK LATEX



SIZES: 7 TO 10

COMPOSITION:
Latex, cotton




SARMENT

- GOOD SHEAR GRIP
- IDEAL IN WET ENVIRONMENTS AND COLD WEATHER (DOWN TO 0°C)



SIZES: 8 TO 11

COMPOSITION:
Acrylic, nitrile, polyamide, para-aramid



RONCIER

- PROTECTION FROM LARGE THORNS THANKS TO THE THICK LEATHER
- OIL BARRIER AND KEEPS A GOOD GRIP



SIZES: 7 TO 11

COMPOSITION:
Grain leather, polyester Ripstop, Skinsoft



CLOTURE

- VALIDATED BY FARMERS
- EXTENDED WRIST PROTECTION



BLACKSTICK+RI

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS



INTERCROSS

- ULTRA VERSATILE FOR ROPE ACCESS OPERATIONS
- INCREASED DEXTERITY FOR SHARPSHOOTING



RIPDEXG

- MAXIMUM CUT RESISTANCE (62 N)
- SUITABLE FOR THE INSTALLATION OF RAZOR WIRE



SIZES: 8 TO 11

COMPOSITION:

Grain leather, polyester Ripstop

EN388



4144X

SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres

EN388



4X44F

SIZES: 6 TO 11

COMPOSITION:

High-tenacity polyethylene, mineral fibre, polyurethane, D3O, cow split leather, thermoplastic

EN388



4X44FP

SIZES: 7 TO 11

COMPOSITION:

Split cowhide leather, stainless steel, high tenacity polyethylene, polyamide

EN388




4X44F

EN407



X1XXXX



FOREST

- VALIDATED BY LUMBERJACKS
- VIBRATION ABSORPTION BY THE D30® FOAM



SIZES: 8 TO 11

COMPOSITION:

Cow split leather, goat leather, polyester Ripstop, D30®



SOULDIER

- WATER REPELLENT BACK
- EXCELLENT GRIP



SIZES: 6 TO 10

COMPOSITION:

Polyester microfibre, silicone, polyamide



OPTIPRO

- NON-SLIP FINGERTIPS
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 8 TO 10

COMPOSITION:

Polyester, polyester microfibre

2016/425 - MINOR RISKS

VIBRAPROTECT


- STANDARD VIBRATION ABSORPTION
- OPTIMISED ERGONOMICS FOR INTENSIVE WORK



SIZES: 8 TO 11

COMPOSITION:

Rubber, polyester, cotton



BACKPROTECT

- PROTECTS FROM HAND CRUSHING RISKS
- GOOD GRIP



SIZES: 8 TO 10

COMPOSITION:

Natural rubber, polyamide, cotton



PROTECT4SHOCK

- CAN BE USED AS A CLIPPING HAND TOOL (D30*)
- OPTIMISED DEXTERITY



SIZES: 7 TO 10

COMPOSITION:

Metis leather, polyester, D30*

2016/425 MINOR RISKS

DURANIT-IMPACT


- STANDARD PROTECTION FROM IMPACTS AND CRUSHING RISKS
- HIGHLY RESISTANT TO CUTS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane, thermoplastic



RESCUEFLUO

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARD PROTECTION FROM IMPACTS



SIZES: 6 TO 11

COMPOSITION:

High-tenacity polyethylene, mineral fibre, polyurethane, cow split leather, D30*, thermoplastic



RESCUEPRO

- MAXIMUM RESISTANCE TO MECHANICAL RISKS
- STANDARD PROTECTION FROM IMPACTS



SIZES: 8 TO 11

COMPOSITION:

High-tenacity polyethylene, mineral fibre, polyurethane, cow split leather, D30*, thermoplastic



MAXIMPACT


- STANDARD PROTECTION FROM IMPACTS AND CRUSHING RISKS
- HIGHLY RESISTANT TO CUTS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane, thermoplastic



PATROLSHOCK

- INCREASED DEXTERITY FOR WEAPONS HANDLING
- RESISTANT TO PALM CUTS



SIZES: 6 TO 12

COMPOSITION: Goat leather, amara, silicone amara, D3O, thermoplastic, para-aramid, mineral fibres

EN388



4332CP

INTERCROSS

- ULTRA VERSATILE FOR ROPE ACCESS OPERATIONS
- INCREASED DEXTERITY FOR SHARPSHOOTING



SIZES: 6 TO 11

COMPOSITION: High-tenacity polyethylene, mineral fibre, polyurethane, D3O, cow split leather, thermoplastic

EN388



4X44FP

GUARDIAN

- INCREASED DEXTERITY FOR WEAPONS HANDLING
- EASY TO DON AND OPTIMUM FIT



SIZES: 6 TO 12

COMPOSITION: Polyester, polyamide, polyurethane, D3O, thermoplastic

EN388



2121XP

RESCUESENS

- STANDARD PROTECTION FROM IMPACTS
- INCREASED DEXTERITY AND SENSITIVITY



Product photo not contractually binding



SIZES: 6 TO 11

COMPOSITION: Polyurethane, reinforced polyamide, mineral fibres stainless steel, thermoplastic

EN388



3X41FP

EN407



X1XXXX

OPSB+

- MAXIMUM CUT RESISTANCE (32.1 N)
- TRIGGER FINGER DEXTERITY



SIZES: 6 TO 11

COMPOSITION: High tenacity polyethylene, polyurethane, D3O®, silicone amara, thermoplastic

EN388



4X42FP

SPEEDER1KP

- TO MOTORCYCLING STANDARDS
- EXCELLENT HANDLEBAR GRIP



SIZES: 6 TO 12

COMPOSITION: Goat leather, silicone amara, polyester, D3O®

EN388



2122X

EN13594



T1KP

MO456

- OPTIMUM GRIP PROVIDED BY THE ADDED SILICONE
- FIRE TREATMENT



SIZES: 7 TO 11

COMPOSITION: Goat leather, aramid, D30®




URBANSHOCK

- LEATHER TEXTILE MIX FOR MAXIMUM DEXTERITY
- STANDARD PROTECTION FROM IMPACTS USING D30®



SIZES: 6 TO 12

COMPOSITION: Goat leather, Nomex, high tenacity polyethylene, cotton, stainless steel, Twaron, silicone amara, D30



VERDON

- OPTIMISED DEXTERITY AND OPTIMISED SENSITIVITY
- EXCELLENT PROTECTION FROM IMPACTS



SIZES: 8 TO 11

COMPOSITION: Goat leather, polyamide, nubuck, neoprene, polyester

2016/425 MINOR RISKS





OUR PRODUCT LINE ADD-ONS

ICOMBJET

- OVERALLS TO PROTECT FROM SOILING
- ZIP FASTENER: EASIER TO PUT ON
- ELASTICATED EDGE HOOD



SIZES: M TO XL

ICOMCS5022/5023

- PROTECTIVE OVERALLS FOR PHYTOSANITARY, INFECTIOUS AND RADIOACTIVE ENVIRONMENTS
- BREATHABLE AND ANTISTATIC MATERIAL
- ELASTICATED SLEEVES, LEGS AND WAIST



SIZES: L TO XL



EN 1073-2: 2002 EN 14216:2003
EN149:2001+A1:2009

4255+:

- FILTER BUILT INTO THE MASK AGAINST ORGANIC VAPOURS AND PARTICLES (PAINT, HANDLING OF ORGANIC CHEMICALS, PHYTOSANITARY PRODUCTS)
- CLEAR FIELD OF VISION



SINGLE SIZE

2016/425 PROTECTION CLASS FFA2P3D

MASKCHIRN

- CLASS I MEDICAL DEVICE
- NOSE BAR
- SOFT AND COMFORTABLE



SINGLE SIZE

EN14683:2019

MASKCHIRO

- CLASS I MEDICAL DEVICE
- NOSE BAR
- SOFT AND COMFORTABLE



SINGLE SIZE

EN14683:2019

MASQUEFFP2

- FFP2 **POLLUTION**, ALLERGEN AND VIRUS PROTECTION
- FINE PARTICLE FILTRATION > 94%
- SOFT AND COMFORTABLE



SINGLE SIZE

EN149:2001-A1:2009

MASQUEFFP3

- FFP3 **POLLUTION**, ALLERGEN AND VIRUS PROTECTION
- FINE PARTICLE FILTRATION > 99%
- SOFT AND COMFORTABLE



SINGLE SIZE

EN149:2001-A1:2009



OUR PRODUCT LINE ADD-ONS

RUSHPPSIO

- NON-SLIP BRIDGE
- CO-INJECTED BRANCHES, ULTRA FLEXIBLE
- SCRATCH PROOF / NO FOGGING

bolle
SAFETY



SINGLE SIZE

EN166 FTKN

RUSHPPSFO

- SOLAR AND UV PROTECTION
- NON-SLIP BRIDGE
- SCRATCH PROOF / NO FOGGING

bolle
SAFETY



SINGLE SIZE

EN166 FTKN

LUNMAS

- FOGGING-PROOF GOGGLE MASK
- COMPATIBLE WITH PRESCRIPTION GLASSES
- ADJUSTABLE ELASTIC HEADBAND

bolle
SAFETY



SINGLE SIZE

EN166 FTKN

ATOAPSI

- PROTECTION AGAINST ORGANIC VAPOURS
- COMPACT AND LIGHTWEIGHT
- COMPATIBLE WITH PRESCRIPTION GLASSES

bolle
SAFETY



SINGLE SIZE

EN166 FTKN

EAR DEFENDERS

- ADJUSTABLE HEAD BAND
- COMFORTABLE
- SNR = 25 DB




SINGLE SIZE

EN352-1

HEADBAND

- REUSABLE AND RECYCLABLE
- SUITABLE FOR PEOPLE WHO ARE ALLERGIC TO LATEX
- SNR = 23 DB



SINGLE SIZE

EN352-2



AN ADAPTED PRODUCT LINE

Our product lines are designed by listening to our customers and the feedback from specialist users.

How does it work?

1. ATTENTIVENESS

From factory production operators to policemen, to beginner gardeners, everyone's requirements and needs are collected and analysed.

2. DESIGN

The needs expressed by the users make it possible to target the most relevant technology to protect them and make it possible for them to have the best use.

3. FIELD TEST

A true test bench, this validation step is essential to validate the design of our most technical products. No glove gets past the design phase without having been tested by a representative panel of users.

4. ADVICE AND RECOMMENDATION

Our catalogue and materials make it possible to find the glove for your application. Our gloves are scored using a diagram that features the 4 main characteristics being sought.



Product scores are given for the **recommended use in the various universes**

For example:

A very durable glove to lay tiling is not durable when pruning thorn bushes or handling metal plates. It is therefore very important not to compare the diagrams for a same glove in different environments or applications.

5. FEEDBACK

Information is collected on various media: production sites, training centres, web sites, etc. Everything is closely looked at to make your feedback an enriched and shared experience.

Do you want to testify or take part in our continuous improvement?
You were not able to find the ideal glove?

Write to us: product@rostaing.fr

AN OFFER FOR EVERYONE!

We adapt our size ranges to our customer needs, uses and the identified population:

- From 3 years old to the biggest sizes
- 70% of our offer covers extreme sizes from 6 to 12
- A customisable line for the disabled

No one is immune to mistakes caused by loss of concentration, a defective machine or other factors beyond our control... Everyday we see hands that have suffered from everyday accidents. Rostaing creates bespoke products to allow the pursuit of a professional activity or a passion.

Contact: commercial@rostaing.fr



QUALITY AT THE HEART OF ALL OUR CHALLENGES!

Your hands are precious, as a result, effective and adapted protection is only valid if quality is provided. At Rostaing, our quality department works to continuously improve our products. Quality of materials, production, quality of the advice we give our users (the right glove for the right use and proper protection), these are our duties. Our integrated internal laboratory allows us to test our batches of raw materials to guarantee finished product quality.

If you have any remarks concerning the quality of our products or services: sav@rostaing.fr
We will get back to you within 24H.

WASHABLE GLOVE LINES!

We have chosen to offer ever more durable products that guarantee the same protection performances after several washing cycles. We propose assistance in setting up a professional care service. It has been proved! You will save 20 to 40% on your PPE budget and a 50% reduction of your waste.

Easy to set up, don't hesitate, **contact us:** commercial@rostaing.fr

THE BEST PROTECTION FOR EVERYONE!

Today, Rostaing is:

over 10,000 distributors and points of sale in France and abroad...
We are also on the web.

Flash the QR code to see partner distributors and points of sale





CHILDREN'S LINE

ZAMIS line: for younger children aged 3 to 8!

This colourful line is guaranteed to catch the eye of parents and children alike: a guaranteed must have! See all the models on pages **113** to **115**.

WE LIKE:

- The visible colourful line
- The animal designs and the games on the backs of the packs
- The gloves are attached and can't be lost thanks to their leash, parents can relax!

SUPERHEROSTAING line: for older children aged 6 to 11!

New! 6 glove models, each with its own superpower: visibility in the dark, colour change in sunlight, magnetic and more. The superhero-inspired design will appeal to young and old alike!

See all the models on pages **110** to **112**.

WE LIKE:

- Innovating technical gloves with superpowers
- Their pop design and the games on the back of the packs
- A fun way to learn to protect your hands



GARDEN LINE

Garden is the most trendy line in the garden! Created by the Chlorosphere trend firm, its flowery natural kraft packaging and its trendy coloured gloves in natural materials will delight users who are sensitive to design and the environment.

See all the models on pages **118** to **127**.

Other product highlighting solutions are possible on page **179**.

WE LIKE:

- Natural trendy line
- Eco-responsible models
- The associated personality test



We've all dreamed one day of having ***SUPERPOWERS!***

Superpowers mean that a person is extra-agile and has significantly increased potential to 'do' things. Each superhero "pair" has at least one power!

This concept targets primary school children: **kids are curious to learn and understand.** It's the best age to learn. The autonomy process is starting.

And what better way to showcase your products than with a **visible, attractive** display?

The **SUPERHEROSTAING** 12-pin cardboard display stand will be ideal!





TOUCH LINE

TOUCH line gloves were the most acclaimed in 2016! With their colourful look, their second skin comfort and their touch function, they offer adapted protection for all age ranges, uses and seasons. The challenge for this line: to win over non-wearers

See all the models on pages **128** to **133**.

Other product highlighting solutions are possible on page **179**.

WE LIKE:

- A mixed line for the garden and/or DIY
- Leashes like skiers to avoid losing them
- References from pre-teen to size 12



4 IN 1 LINE

The concept is simple, one glove = 4 uses. If your customer is undecided, reassure them by proposing a multi-purpose "4 in 1" model.

New: 2 touch products in 2023.

See all the models on pages **134** to **139**.

Other product highlighting solutions are possible on page **179**.

WE LIKE:

- A practical, simple and essential offer
- Different types of protection
- Their fun and playful packaging

ROSTAINING

UNLEASH YOUR POTENTIAL



BATIPRO LINE

Initiated by the “CAPEB” and validated by construction sector professionals, this offer proposes gloves for all uses, from the most generic to the most specific.

See all the models on pages **88** to **94**.

Other product highlighting solutions are possible on page **179**.


WE LIKE:

- The “Expert” gloves for specific professional uses
- The models that protect from the cold
- Their excellent value for money

**French confederation of construction tradesmen and small companies*

ROSTAINING

UNLEASH YOUR POTENTIAL



PRONATUR LINE

Created and validated by landscaping and farming professionals, this offer perfectly meets both professional and demanding non-professional needs for garden and green space maintenance.

See all the models on pages **16** to **27**.

Other product highlighting solutions are possible on page **179**.

WE LIKE:

- The best selling RONCIER glove for large thorns
- The CLOTURE glove for barbed wire
- A durable leather offer that is functional with its RIPSTOP technology (see page 18)

BLACK-

LINE

BLACKTACTIL

The **BLACKTACTIL** glove was created in 2012. This sober cut-resistant glove was the first to achieve Level F in the TDM ISO 13997 test. Building on its success, the product has been rolled out in a range of models for a variety of applications and environments: industry, private security, maintenance, fire-fighters, landscapers, metal detection, prisons, etc. Thanks to our expertise and our detailed job audits, we have been able to develop versions with additional reinforcements for different requirements. These different reinforcements (nitrile, cow split leather, D3O®, etc.), that have been tested on exposed areas, provide a **tailored** solution for our wearer customers. These gloves are particularly popular for their comfort and second-skin effect.



25 REFERENCES ON SUPPORT
BLACKTACTIL

DURANIT LINE



ONE

LEVEL A



PLUS

LEVEL D



ULTRA

LEVEL F

Born in 2021, our **DURA** line is the other strong coated line in our offer. These gloves last 3x longer than the abrasion standard (20,000 cycles compared to 8,000) thanks to the innovating soft nitrile coating and the thumb/index finger grip reinforcement. What makes them different? The level of cut resistance (A-D-F).

With more durable products, Rostaing continues its commitment to reducing waste generated by PPE consumption in the workplace.

2 NEW PRODUCTS IN 2024:



IMPACT



DRY

**ON A DURANIT-PLUS BASIS
(LEVEL D)**

- Three times more long lasting thanks to an innovating and stronger coating: 1st wear zone reinforced, orange sticker, wear indicator.
- Three times more grip: less fatigue for the gripping effort.
- Freedom of movement: innovating supple and comfortable coating
- Touch function: all the fingers are conductors.
- Suitable gloves: for use in dry, oily, and wet environments.
- Withstands contact heat up to 100°C.

DURANIT-IMPACT

For solid protection against impacts and shocks on the back of the hand.

DURANIT-DRY

For solid protection against water and oil.

• **EXAMPLES OF TYPICAL INSTALLATIONS**

**FREE OF CHARGE:
END OF AISLE
DRESSING KIT**

Reference:
KITGONDOLE
The kit includes:

- A** 1 Front
- +
- B** 1 shelf stop
- +
- C** 20 segment labels
- +
- D** 1 kakemono with its magnetic post

**Boost your sales!
Delivered on cross**



MULTI-IT

Reference: MULTI-IT.
Sizes: 7 and 9
Composition:
Polyester support
natural latex
palm coating.



- CUTTING**
- MAINTENANCE**
- SMALL THORNY PLANTS**



A
**1 METRE
FRONT**

C
**SEGMENT
LABELS**

B
SHELF STOP
1 Touch shelf stop
+ 1 Garden quiz shelf stop

D
KAKEMONO
with its magnetic
post



Our 5 lines over 2 metres

*Simulation using our Rostaing planogramme tool. Ask your local sales representative for the tool.

Aisle dressing proposed by Rostaing is:

more simplicity and efficiency, everything is packaged in kit form.
more advice and sales by giving your customers the answer to their questions: hand size, use, protection standards.
more footfall in the aisle using attractive visuals: two shelf stops of a design close to the packaging of the corresponding product line will provide additional information and fun activities.

Your Rostaing expert is:

- Your product expert who will provide training, advice and recommendations tailored to your customer base.
- Your sales expert: Business booster, they will propose themed offers throughout the year and transverse sales.
- Your service expert: they will know how to optimise space and will lay out your selection perfectly.

Contact us for your store layout and boost your sales: commercial@rostaing.fr

• **THE DURABLES:** NAIL AND SCREW FREE WOOD



Practical!
Our displays are all mounted on rollers



Built-in storage trays



24 RACK DISPLAY UNIT

Ref: PRESBOISCOPORATE-GARDEN or PRESBOISPRONATUR-TOUCH
Free of charge for all orders of at least 240 units.

12 RACK CHILDREN'S DISPLAY UNIT

Ref: CHILDREN'S DISPLAY UNIT
Free of charge for all orders of at least 100 units.

• **THE OCCASIONALS:** CARDBOARD



Boost your sales!
Guaranteed +20% cash register exits



**ADULT TOTEM
32 RACKS**

Ref: TOTEM32
Free of charge for all orders of at least 160 units.

**CHILDREN'S TOTEM
32 RACKS**

Ref: TOTEM/ENF
Free of charge for all orders of at least 80 units.

**OFFER TRAY
BULK SINGLE PRICE**

Ref: BACPROMO
Free of charge for all orders of at least 100 units.

**UNIVERSAL COUNTER
BOX 3 RACKS**

Ref: BOXCOMPTOIR
Free of charge for all orders of at least 60 units.

4255+	4255+	ANABEL	ANABEL-IT3-4	ANABEL-IT5-6	HEADBAND
					
ARCEAU-ITU	ATOAPSI	ATOAPSI	AXEL	AXEL-IT3-4	AXEL-IT5-6
					
BASIC	BASIC-IT06	BASIC-IT07	BASIC-IT08	BASIC-IT09	BASIC-IT10
					
BLACKTOP	BLACKTOP-IT07	BLACKTOP-IT08	BLACKTOP-IT09	BLACKTOP-IT10	BLACKTOP-IT11
					
BOHO	BOHO-IT06	BOHO-IT07	BOHO-IT08	CANADA	CANADA-IT06
					
CANADA-IT07	CANADA-IT08	CANADA	CANADA-IT09	CANADA-IT10	CANADA-IT11
					
CARPRO	CARPRO/IT08	CARPRO/IT09	CARPRO/IT10	CARPRO/IT11	EAR DEFENDERS
					
EAR DEFENDERS	CHALEUR	CHALEUR-IT08	CHALEUR-IT10	CLOTURE	CLOTURE-IT08
					
CLOTURE-IT09	CLOTURE-IT10	CLOTURE-IT11	COCOON	COCOON-IT05	COCOON-IT06
					
COCOON-IT07	COCOON-IT08	COCOON-IT09	COCOON-IT10	COLDPRO	COLDPRO/IT08
					
COLDPRO/IT09	COLDPRO/IT10	COLDPRO/IT11	CONTACT	CONTACT/IT07	CONTACT/IT08
					
CONTACT/IT09	CONTACT/IT10	CORDIST	CORDIST-IT07	CORDIST-IT08	CORDIST-IT09
					

CORDIST-IT10  3 353090 115541	CORDIST-IT11  3 353090 115558	CORDIST-IT12  3 353090 115565	DENIM 	DENIM-IT07  3 353090 089422	DENIM-IT08  3 353090 089439
DENIM-IT09  3 353090 089446	DENIM-IT10  3 353090 089453	DENIM-IT11  3 353090 089460	DRYFEEL 	DRYFEEL-IT07  3 353090 079348	DRYFEEL-IT08  3 353090 079355
DRYFEEL-IT09  3 353090 079362	DRYFEEL-IT10  3 353090 079379	DURANIT-ONE 	DURANIT-ONE-IT06  3 353090 111468	DURANIT-ONE-IT07  3 353090 111475	DURANIT-ONE-IT08  3 353090 111482
DURANIT-ONE-IT09  3 353090 111499	DURANIT-ONE-IT10  3 353090 111505	DURANIT-ONE-IT11  3 353090 111512	DURANIT-ONE-IT12  3 353090 111529	DURANIT-PLUS 	DURANIT-PLUS-IT06  3 353090 111536
DURANIT-PLUS-IT07  3 353090 111543	DURANIT-PLUS-IT08  3 353090 111550	DURANIT-PLUS-IT09  3 353090 111567	DURANIT-PLUS-IT10  3 353090 111574	DURANIT-PLUS-IT11  3 353090 111581	DURANIT-PLUS-IT12  3 353090 111598
DURANIT-ULTRA 	DURANIT-ULTRA-IT06  3 353090 111604	DURANIT-ULTRA-IT07  3 353090 111611	DURANIT-ULTRA-IT08  3 353090 111628	DURANIT-ULTRA-IT09  3 353090 111635	DURANIT-ULTRA-IT10  3 353090 111642
DURANIT-ULTRA-IT11  3 353090 111659	DURANIT-ULTRA-IT12  3 353090 111666	EM25A 	EM25A/IT06  3 353090 103746	EM25A/IT7  3 353090 061121	EM25A/IT8  3 353090 320082
EM25A/IT09  3 353090 320099	EM25A/IT10  3 353090 320105	EM25A/IT11  3 353090 077665	ENTRETIEN 	ENTRETIEN-IT07  3 353090 079515	ENTRETIEN-IT08  3 353090 079522
FITXTRA 	FITXTRA-IT08  3 353090 099858	FITXTRA-IT09  3 353090 099865	FITXTRA-IT10  3 353090 099872	FITXTRA-IT11  3 353090 099889	FLOWER 
FLOWER-IT06  3 353090 089750	FLOWER-IT07  3 353090 089767	FLOWER-IT08  3 353090 089774	FOREST 	FOREST-IT08  3 353090 079843	FOREST-IT09  3 353090 073209
FOREST-IT10  3 353090 073216	FOREST-IT11  3 353090 073735	FRENCHIE 	FRENCHIE-IT06  3 353090 089873	FRENCHIE-IT07  3 353090 089880	FRENCHIE-IT08  3 353090 089903
FRENCHIE-IT09  3 353090 089910	FRENCHIE-IT10  3 353090 089927	FUSHIA 	FUSHIA/IT06  3 353090 065259	FUSHIA/IT07  3 353090 065266	FUSHIA/IT08  3 353090 065273

GASPRO 	GASPRO/IT09 	GASPRO/IT10 	GASTON 	GASTON-IT4-6 	GASTON-IT6-8 
GRIPRO 	GRIPRO/IT08 	GRIPRO/IT09 	GRIPRO/IT10 	GRIPRO/IT11 	GRIPRO10 
GRIPRO10T09 	GRIPRO10T10 	ICOMBJET1 	ICOMBJET1 	ICOMBJET3 	ICOMBJET3 
ICOMCS 	ICOMCS5022 	ICOMCS5023 	IVERNO 	IVERNO-IT07 	IVERNO-IT08 
IVERNO-IT09 	IVERNO-IT10 	IVERNO-IT11 	JEAN 	JEAN-IT07 	JEAN-IT08 
JEAN-IT09 	JEAN-IT10 	LIQUIDO 	LIQUIDO-IT07 	LIQUIDO-IT08 	LIQUIDO-IT09 
LIQUIDO-IT10 	LISON 	LISON-IT4-6 	LISON-IT6-8 	LUNMAS 	LUNMAS 
MACPRO 	MACPRO/IT08 	MACPRO/IT09 	MACPRO/IT10 	MACPRO/IT11 	MARGOT 
MARGOT-IT4-6 	MARGOT-IT6-8 	MASKCHIRN 	MASKCHIRN 	MASKCHIRO 	MASKCHIRO 
MASQUEFFP2 	MASQUEFFP2 	MASQUEFFP3 	MASQUEFFP3 	MAXFEEL.F 	MAXFEEL-IT07 
MAXFEEL.H 	MAXFEEL-IT09 	MAXGRIP 	MAXGRIP-IT07 	MAXGRIP-IT08 	MAXGRIP-IT09 
MAXGRIP-IT10 	MAXGRIP-IT11 	MAXIMA.F 	MAXIMA.F-IT07 	MAXIMA.F-IT08 	MAXIMA.H 

MAXIMA.H-IT08  3 353090 083963	MAXIMA.H-IT09  3 353090 083741	MAXIMA.H-IT10  3 353090 083758	MAXIMPACT 	MAXIMPACT-IT07  3 353090 115602	MAXIMPACT-IT08  3 353090 115619
MAXIMPACT-IT09  3 353090 115626	MAXIMPACT-IT10  3 353090 115633	MAXIMPACT-IT11  3 353090 115640	MAXIPRO 	MAXIPRO/IT08  3 353090 058541	MAXIPRO/IT09  3 353090 058558
MAXIPRO/IT10  3 353090 058565	MAXIPRO/IT11  3 353090 058572	MAXSAFE 	MAXSAFE-IT07  3 353090 115657	MAXSAFE-IT09  3 353090 115664	MAXSTRONG.F 
MAXSTRONG.F-IT06  3 353090 083765	MAXSTRONG.F-IT07  3 353090 083772	MAXSTRONG.F-IT08  3 353090 083789	MAXSTRONG.H 	MAXSTRONG.H-IT08  3 353090 083796	MAXSTRONG.H-IT09  3 353090 083802
MAXSTRONG.H-IT10  3 353090 083819	MAXTEEN.F 	MAXTEEN.F-ITU  3 353090 083826	MAXTEEN.G 	MAXTEEN.G-ITU  3 353090 083833	MAXTOP 
MAXTOP-IT07  3 353090 099995	MAXTOP-IT08  3 353090 100004	MAXTOP-IT09  3 353090 100011	MAXTOP-IT10  3 353090 100028	MAXTOP-IT11  3 353090 103005	MAXTOP-IT12  3 353090 103012
MECANOB 	MECANO B-IT08  3 353090 102152	MECANO B-IT10  3 353090 102169	MECANO 	MECANO-IT07  3 353090 100790	MECANO-IT09  3 353090 100806
MIDSEASON 	MIDSEASON-IT07  3 353090 106952	MIDSEASON-IT08  3 353090 106969	MIDSEASON-IT09  3 353090 106976	MIDSEASON-IT10  3 353090 106983	MIDSEASON-IT11  3 353090 106990
MIDSEASON-IT12  3 353090 107003	MISS 	MISS-IT06  3 353090 089552	MISS-IT07  3 353090 089569	MISS-IT08  3 353090 089576	MISTER 
MISTER-IT08  3 353090 089590	MISTER-IT09  3 353090 089606	MISTER-IT10  3 353090 089613	MONTBLANC 	MONTBLANC-IT07  3 353090 115671	MONTBLANC-IT08  3 353090 115688
MONTBLANC-IT09  3 353090 115695	MONTBLANC-IT10  3 353090 115701	MONTBLANC-IT11  3 353090 115718	MULTI 	MULTI-IT07  3 353090 086742	MULTI-IT09  3 353090 086759
NERINE 	NERINE/IT06  3 353090 015414	NERINE/IT07  3 353090 015421	NERINE/IT08  3 353090 015438	NUDE 	NUDE-IT06  3 353090 089675

NUDE-IT07  3 353090 089682	NUDE-IT08  3 353090 089699	ONE4ALL 	ONE4ALL-IT07  3 353090 089507	ONE4ALL-IT08  3 353090 089514	ONE4ALL-IT09  3 353090 089521
ONE4ALL-IT10  3 353090 089538	ONE4ALL-IT11  3 353090 089545	OPTIPRO 	OPTIPRO/IT08  3 353090 071236	OPTIPRO/IT09  3 353090 071243	OPTIPRO/IT10  3 353090 071250
OPTIPRO/IT11  3 353090 116319	PLANT 	PLANT-IT07  3 353090 111376	PLANT-IT08  3 353090 111383	PLANT-IT09  3 353090 111390	PRIMACUFF 
PRIMACUFF35PO/I  3 353090 069530	PROSPER 	PROSPER-IT3-6  3 353090 078518	PROTECT 	PROTECT-IT06  3 353090 089828	PROTECT-IT07  3 353090 089835
PROTECT-IT08  3 353090 089842	PROTECT-IT09  3 353090 089859	PROTECT-IT10  3 353090 089866	PROTECTMAX 	PROTECTMAX-IT07  3 353090 089781	PROTECTMAX-IT08  3 353090 089798
PROTECTMAX-IT09  3 353090 089804	PROTECTMAX-IT10  3 353090 089811	RESCUEPRO 	RESCUEPRO-IT08  3 353090 111802	RESCUEPRO-IT09  3 353090 111819	RESCUEPRO-IT10  3 353090 111826
RESCUEPRO-IT11  3 353090 111833	RONCIER 	RONCIER-IT07  3 353090 077139	RONCIER-IT08  3 353090 073346	RONCIER-IT09  3 353090 073353	RONCIER-IT10  3 353090 073360
RONCIER-IT11  3 353090 073377	ROOTS 	ROOTS-IT07  3 353090 089620	ROOTS-IT08  3 353090 089637	ROOTS-IT09  3 353090 089644	ROOTS-IT10  3 353090 089651
ROOTS-IT11  3 353090 089668	ROSERAIE 	ROSERAIE-IT07  3 353090 099957	ROSERAIE-IT08  3 353090 099964	ROSERAIE-IT09  3 353090 099971	ROSERAIE-IT10  3 353090 099988
RUSHPPSFO 	RUSHPPSFO  3 660740 007461	RUSHPPSIO 	RUSHPPSIO  3 660740 007164	SARMENT 	SARMENT-IT07  3 353090 112823
SARMENT-IT08  3 353090 111840	SARMENT-IT09  3 353090 111857	SARMENT-IT10  3 353090 111864	SARMENT-IT11  3 353090 111871	SEQUOIA 	SEQUOIA-IT07  3 353090 073292
SEQUOIA-IT08  3 353090 073308	SEQUOIA-IT09  3 353090 073315	SEQUOIA-IT10  3 353090 073322	SEQUOIA-IT11  3 353090 073339	SEQUOIA-IT12  3 353090 108284	SKINPRO 

SKINPRO/IT07  3 353090 058114	SKINPRO/IT08  3 353090 058121	SKINPRO/IT09  3 353090 058138	SKINPRO/IT10  3 353090 058145	SKINPRO/IT11  3 353090 058152	SNITRILE 
SNITRILE/IT07  3 353090 620076	SNITRILE/IT08  3 353090 620083	SNITRILE/IT09  3 353090 620090	SNITRILE/IT10  3 353090 620106	SNITRILE/IT11  3 353090 115398	SOFTPRO 
SOFTPRO/IT08  3 353090 059173	SOFTPRO/IT09  3 353090 059180	SOFTPRO/IT10  3 353090 059197	SOFTPRO/IT11  3 353090 060292	SOLIDO 	SOLIDO-IT08  3 353090 100400
SOLIDO-IT09  3 353090 100417	SOLIDO-IT10  3 353090 100424	SOLIDO-IT11  3 353090 100431	SOULDIER.F 	SOULDIER.F-IT06  3 353090 099773	SOULDIER.F-IT07  3 353090 099780
SOULDIER.F-IT08  3 353090 099797	SOULDIER.H 	SOULDIER.H-IT08  3 353090 099803	SOULDIER.H-IT09  3 353090 099810	SOULDIER.H-IT10  3 353090 099827	SPLITWELD 
SPLITWELD-IT08  3 353090 100325	SPLITWELD-IT09  3 353090 100332	SPLITWELD-IT10  3 353090 100349	SPLITWELD-IT11  3 353090 100356	STRONGER 	STRONGER-IT08  3 353090 111888
STRONGER-IT09  3 353090 111895	STRONGER-IT10  3 353090 111901	STRONGER-IT11  3 353090 111925	SUPERELECTRO 	SUPERELECTRO-IT6-8  3 353090 115725	SUPERELECTRO-IT9-11  3 353090 115732
SUPERFREEZE 	SUPERFREEZE-IT6-8  3 353090 115749	SUPERFREEZE-IT9-11  3 353090 115756	SUPERGRAVITY 	SUPERGRAVITY-IT6-8  3 353090 115763	SUPERGRAVITY-IT9-11  3 353090 115770
SUPERGREEN 	SUPERGREEN-IT6-8  3 353090 115787	SUPERGREEN-IT9-11  3 353090 115794	SUPERMAGMA 	SUPERMAGMA-IT6-8  3 353090 115800	SUPERMAGMA-IT9-11  3 353090 115817
SUPERMAGNETIC 	SUPERMAGNETIC-IT6-8  3 353090 115824	SUPERMAGNETIC-IT9-11  3 353090 115831	THERMALIGHT 	THERMALIGHT-IT07  3 353090 115848	THERMALIGHT-IT08  3 353090 115855
THERMALIGHT-IT09  3 353090 115862	THERMALIGHT-IT10  3 353090 115879	THERMALIGHT-IT11  3 353090 115886	T.70X135 	T.70X135  3 353090 043004	T.DENIM 
T.DENIM  3 353090 091722	TRADITION 	TRADITION-IT06  3 353090 089934	TRADITION-IT07  3 353090 089941	TRADITION-IT08  3 353090 089958	TRADITION-IT09  3 353090 089965

TRADITION-IT10  3 353090 089972	TRADITION-IT11  3 353090 089989	VIGNE 	VIGNE/IT07  3 353090 400074	VIGNE/IT08  3 353090 400081	VIGNE/IT09  3 353090 400098
VIGNE/IT10  3 353090 400104	VIGNE/IT11  3 353090 400111	VISIBLE 	VISIBLE-IT08  3 353090 089712	VISIBLE-IT09  3 353090 089729	VISIBLE-IT10  3 353090 089736
VISIBLE-IT11  3 353090 089743	WETPRO 	WETPRO/IT09  3 353090 071212	WETPRO/IT10  3 353090 071229	WETPRO/IT11  3 353090 116326	WGB 
WGB/IT10  3 353090 060490	WHITEPRO 	WHITEPRO/IT07  3 353090 058381	WHITEPRO/IT08  3 353090 058398	WHITEPRO/IT09  3 353090 058404	WHITEPRO/IT10  3 353090 058411
WHITEPRO/IT11  3 353090 058992	WINTERPRO 	WINTERPRO/IT07  3 353090 083925	WINTERPRO/IT08  3 353090 065341	WINTERPRO/IT09  3 353090 065358	WINTERPRO/IT10  3 353090 065365
WINTERPRO/IT11  3 353090 065372	WORK 	WORK-IT09  3 353090 111352	WORK-IT10  3 353090 111369	1951 	1951  3 353090 014158
BACPROMO 	BACPROMO  3 353090 083949	BOXCOMPTOIR 	BOXCOMPTOIR  3 353090 094082	KITGONDOLE 	KITGONDOLE  3 353090 091715
PRESBOISCORPORATE - GARDEN 	PRESBOISCORPORATE - GARDEN  3 353090 090329	PRESBOISPRONATUR - TOUCH 	PRESBOISPRONATUR - TOUCH  3 353090 090336	CHILDREN'S DISPLAY UNIT 	CHILDREN'S DISPLAY UNIT  3 353090 081556
TOTEM/ENF 	TOTEM/ENF  3 353090 029084	TOTEM32 	TOTEM32  3 353090 085943	EUGENE 	EUGENE-IT4-6  3 353090 107010
EUGENE-IT6-8  3 353090 107027					

ALPIN	46-161
ALUWELD	76-157
B ANABEL	113
ANIMALYS1	27-65
HEADBAND	169
ATOAPSI	169
ATTACK6PEOM-BSC	60
ATTACK6PEOM- TEX-BSC	60
B AXEL	113
B7VERD	69-159
BACKPROTECT	89-101-107-165
B BASIC	18-135
BLACKNIT	24-73-153
BLACKSTICK+	31-74-90-152
BLACKSTICK+-SC	63
BLACKSTICK30+RI	90-163
BLACKTACTIL	53-80-153
BLACKTACTIL/0	53-82-152
BLACKTACTILRC	153
BLACKTOP	17-65-72-153
BLACKTOPNIT	82-153
BLUE-FREEZE	100-160
BLUE-ICE	100-160
B BOHO	120
B CANADA	38-68-88-100-104-133- 143-161
B CARPRO	94
EAR DEFENDERS	169
CEREMONIE	48
B CHALEUR	137
CLIFF	45
B CLOTURE	23-30-163
B COCOON	46-127-160
B COLDPRO	32-91-143-160
COLDPROOF	46-161
COLD-CONTROL	98-161
COLD-SOFT	98-161

B CORDIST	17-45
B CONTACT	136
CRIO	84-161
CRIOBC	84-161
CUTFOOD-CUFF	37
CUTFOOD	36-145
CUTFOOD-SENS	36
CUTFOOD-MAX	36
B DENIM	125
B DRYFEEL	136
DURANIT-DRY	74-150
DURANIT-IMPACT	68-88-103-150
B DURANIT-ONE	22-32-54-64-81-90-103 107-150
B DURANIT-PLUS	73-91-103-150
B DURANIT-ULTRA	54-73-90-103-152
B EM25A	20
B ENTRETIEN	138
EPS7BPA	101
ERGOMASTER	78-152
ERGOPRIMA	78-152
B EUGENE	114
EVO13	18-31-77
EVOTACTIL	52
FAUVE	48-106
FEELPRO	38-68-88-102-104
FIT4PROTOUCH	81-102-107-151
B FITXTRA	73-92-104-151
B FLOWER	122
B FOREST	16-164
B FRENCHIE	124
FULLSENS	52-82-102-153
FULLSENS/0	52-80
B FUSHIA	135
B GASPRO	33-64-77-93
B GASTON	115
B GRIPRO	91-142

GUETRECRYO	84
HEAT-BLACK	156
HEATRESIST	70-158
HEATRESIST+	69-158
HEATRESIST-MITT	69-158
HMPS7BP	17
HYDROPRO	71-154
ICOMBJET	168
ICOMCS5022	168
ICOMCS5023	168
B IVERNO	20-143-160
B JEAN	124
LIGHT-WELD	76-156
B LIQUIDO	24-34-91-138
B LISON	115
LUNMAS	169
B MACPRO	22-35-90-146-152
B MARGOT	115
B MASKCHIRN	168
B MASKCHIRO	168
B MASQUEFFP2	168
B MASQUEFFP3	168
MASTERCUFF	152
MASTERTOP	72-155
MASTERTSHIRT	79
B MAXFEEL	130-142
B MAXGRIP	133-147-160
B MAXIMA	34-123
B MAXIMPACT	132-165
B MAXIPRO	88-150
MAXSAFE	130
B MAXSTRONG.F	132
B MAXSTRONG.H	132
B MAXTEEN.F	129
B MAXTEEN.G	129

B MAXTOP	130-142
B MECANO	34-53-85-138
METALSTRONG	72-154
METALSTRONG+	72-154
B MIDSEASON	22-64-94-144-161
B MISS	120
B MISTER	120
MO456	44
B MONTBLANC	130-160
B NERINE	135
B NUDE	119
OILGRIP5	71-158
B ONE4ALL	120
ONTARIO	100-160
OPSB+	44-144-166
B OPTIPRO	21-92
PARA4HEAT	70-156
PARA4HEAT+	70-156
PARACUFF	78-157
PARADE	48
PARARC+	74-164
B PLANT	135
B PRIMACUFF	78-151
PROFUSION-1	69-159
PROSOUND/1	76-157
B PROSPER	114
B PROTECT	121
PROTECT4SHOCK	81-165
B PROTECTMAX	35-121-146-162
PROTRI-1	69-158
RAPACEM	58
RAPACEMMIX	58
RAPACETEX	58
RESCUEFITFLU0	63-152
RESCUEFLU0BC-SC	63-152
RESCUEFLU0-SC	63-152

B RESCUEPRO	89-165
RESCUESENS	62-166
RESCUESENSTOUCH	62-166
RESCUESENSVL	62-166
RIPDEXG	54-163
RIPEUR/CO	24-163
ROLLHEAT	71-159
B RONCIER	21-27-30-132
B ROOTS	119
B ROSERAIE	20
RUSHPPSIO	169
RUSHPPSFO	169
SAP	45-65
B SARMENT	20-32-161-162
SCANFORCE-BL	50
SCANFORCE-BR	50
SCANFORCE-GP	51
SCANFORCE-LG	50
SCANFORCE-VE	51
B SEQUOIA	18
B SKINPRO	82-94
B SKINTOUCH	53-85-104-37-145-150
B SNITRILE	26-33
B SOLIDO	23
B SOULDIER.F	105-126-144-147-164
B SOULDIER.H	105-126-144-147-164
SPEEDER1KP	47-105-147-166
SPEEDNET	85-101-145
B SPLITWELD	55-76-92-156
SPP2NIT05+	55-61
SPP2NITBKV+	61
STOP-OIL	26-64-77
STOP-OILCUT	26-74-93-153
B STRONGER	23
SUPERELECTRO	111
SUPERFREEZE	112

SUPERGRAVITY	112
SUPERGREEN	111
SUPERMAGMA	111
SUPERMAGNETIC	112
HEATING SYSTEM	114-165
B T.70X135	21
T.CRYO	37-84
T.CUTFOOD	37
B T.DENIM	125
TABMASTER	79
TABMASTER+	79
TFI27	39
THERMALIGHT	16
TN22	39
TN27NS	35-85
TRACKER	61
TRACKERM	61
B TRADITION	123
TREXSMSQUALE-BLSC	60
VIBRAPROTECT	68-89-164
B VISIBLE	34-122
WARM250/50D2	39-70-159
WETCUT01-EVOLUTION	31-83-154
WETCUT03-EVOLUTION	83-155
WETCUT03M-EVO	83-155
WETCUT05-EVOLUTION	83-92-154
B WETPRO	26-93-138
B WGB	137
B WHITEPRO	94
B WHITETACTIL	80-153
B WINTERPRO	22-38-89-100-160
B WORK	136
ZPP25	38-101-160
4255+	168

Other glove references are available.
For more information, contact us:
commercial@rostaing.fr

ROSTAING

UNLEASH YOUR POTENTIAL

ROSTAING

17, Avenue Charles de Gaulle
01800 — VILLIEU
Phone: +33(0) 474 460 710

You want a sales contact?
commercial@rostaing.fr

Do you want to place an order?
order@rostaing.fr

You want to get in touch with our quality department?
sav@rostaing.fr

You need technical
information about our products?
product@rostaing.fr

Do you have an accounting question?
compta.client@rostaing.fr

For all other questions:
contact@rostaing.fr

See us
on social media



ROSTAING.COM

