

**SAFETY
JOGGER**
PROFESSIONAL

PROFESSIONAL

Safety Jogger Professional is the number one solution for certified professional footwear. We offer a full range of trendy, comfortable and quality work shoes and clogs, adapted to the needs of workers in medical, uniform & catering environments.



LIGHT

APPLICATION

Light application footwear is mainly used on even and dry floors with a limited risk of contact with liquids.



MEDIUM

APPLICATION

Medium application footwear is engineered for dry and wet floors in an indoor environment.



HEAVY

APPLICATION

For our professional collection, heavy application means that this type of footwear has special features and can be worn in special areas. More specifically, these shoes and clogs meet special cleaning needs, such as being machine washable or autoclavable.

The new standard for occupational footwear explained - EN ISO 20347:2022

Standards for PPE products are regularly reviewed and adapted when necessary. This is also the case for EN ISO 20347. Until April 2022, the 2012 version of the standard was in place. From then on, the updated 2022 standard came into effect.

Certificates do not expire when a standard is updated. This means the certificates of all shoes certified to EN ISO 20347:2012 remain valid until their expiration date (which is 5 years from the date of issue).

CLASS 1 made from leather, textiles or synthetic materials

CLASS 2 made from rubber or polymeric materials


	CLASS 1								CLASS 2			
	OB	O1	O2	O3	O3L	O6	O7	O7L	OB	O4	O5	O5S
Basic slip resistance (ceramic floor + soap solution)												
Closed heel												
Antistatic												
Heel energy absorption												
UPDATE WPA Water penetration and absorption												
WR Waterproof												
UPDATE P Metallic puncture resistant midsole (4.5mm nail)												
NEW PL / L Non-metallic puncture resistant midsole <i>PL = large nail 4.5mm</i> PS / S <i>PS = slim nail 3mm</i>												
Cleated outsole (cleat height ≥ 3,5mm)												





Additional features

AN	Ankle protection
M	Metatarsal protection
NEW	SR Slip resistance (ceramic floor + oily solution)
A	Antistatic
NEW	LG Ladder grip
NEW	SC Abrasion resistant scuff cap
CI	Cold insulation
HI	Heat insulation
HRO	Heat-resistant outsole (up to 300°C)
UPDATE	P Metallic puncture resistant midsole (4.5mm nail)
NEW	PL Non-metallic puncture resistant midsole (4.5mm nail)
NEW	PS Non-metallic puncture resistant midsole (3mm nail)
UPDATE	WPA Water penetration and absorption
WR	Waterproof
E	Heel energy absorption
FO	Oil & fuel resistance

 Electrostatic discharge (EN 61340)

 Electrical hazard (ASTM F2413)

Did you know...

that the EN ISO 20347 standard has changed since 2022?

Slip resistance

EN ISO 20347:2012

Slip resistance had three different ratings: SRA, SRB and SRC.

- SRA outsoles were tested on a ceramic floor wetted with a soap solution.
- SRB outsoles were tested on a steel surface wetted with an oily solution (glycerin).
- SRC outsoles passed both the SRA + SRB test.

EN ISO 20347:2022

The slip-resistance test on a ceramic floor with a soap solution is from now on a **basic requirement** for all occupational shoes, so no marking will be added. An extra slip-resistant test on a ceramic floor with glycerin (an oily solution) can be carried out as an **additional requirement** and will be marked **SR**.

Puncture resistance

EN ISO 20347:2012

P was marking puncture resistance.

EN ISO 20347:2022

The P marking is now used only for metallic midsoles. Shoes with non-metallic midsoles (fabric or nonwoven midsoles) are now marked PL or L / PS or S, depending on the type of nail.

- ✓ PL or L = puncture test passed with a nail of 4,5mm
- ✓ PS or S = puncture test passed with a nail of 3mm

Fuel & oil resistance

This is no longer a mandatory requirement. If the outsole is fuel & oil resistant, it is marked FO.

New categories

New O6 & O7 categories: to identify occupational shoes that are completely waterproof thanks to a **membrane**.

- ✓ The O6 label corresponds to an O2 WR shoe.
- ✓ The O7 label corresponds to an O3 WR shoe.

WRU becomes WPA

Shoes with a **water-resistant** upper are now marked as WPA. WPA refers to the water penetration and absorption tests that are performed to determine the water resistance of the upper.

New additional features

- ✓ SC: abrasion resistance of the **scuff cap**.
- ✓ LG: adequate **grip** on a **ladder**.



LIGHT APPLICATION



MICKEY

Work hard, play harder! Our Mickey collection is a collaboration between Safety Jogger and Disney and combines certified protection with the iconic ears of the most loved character of all times: Mickey Mouse.





MEDIUM APPLICATION



HEAVY APPLICATION



**SAFETY
JOGGER**
PROFESSIONAL

PROFESSIONAL



LIGHT

APPLICATION

EDEN O1 LOW

EU FOB CN

Upper	Mesh, Synthetic Leather
Outsole	Phylon/Rubber
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 JPN 21.5-31 • KOR 230-310



BLK

✓ Elastic laces

ELIS

EU FOB CN

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	O2 ESD SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 JPN 21.5-31 • KOR 230-310



ULTIMATE
COMFORT
& FIT



BLK



WHT

SLOAN O1 LOW

EU FOB CN

Upper	Mesh, Synthetic
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC FO
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



✓ Reflective elements

FUC



BLU



JAMES

EU FOB CN

Upper	Mesh
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	OB SRA E
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 JPN 22.5-31 • KOR 235-310



✓ Breathable

BLK




LGR

NAV

MAUD

EU FOB CN

Upper	Mesh
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	OB SRA E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



✓ Breathable

FUX



BLK

LGR

NAV

WHT

REMY

EU FOB CN

Upper	Action Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	Mesh
Category	OB ESD A E HRO SR
Size range	EU 39-47 • UK 6.0-12.0 • US 6.5-13.0 JPN 25-31 • KOR 255-310



ROY

EU FOB CN

Upper	Action Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	Mesh
Category	O1 ESD HRO SR
Size range	EU 39-47 • UK 6.0-12.0 • US 6.5-13.0 JPN 25-31 • KOR 255-310



NAV



BLK

WHT



BLK



NAV

WHT

JULINE

EU FOB CN

Upper	Synthetic Leather
Outsole	Rubber
Lining	Synthetic Leather
Footbed	SJ foam footbed
Category	OB SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



FORMAL CHOICE

✓ Heel height 35mm



BLK

JULIA

EU FOB CN

Upper	Synthetic Leather
Outsole	PU/Rubber
Lining	Mesh, Synthetic Leather
Footbed	SJ foam footbed
Category	OB SRC E FO
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



FORMAL CHOICE

✓ Heel height 10mm



BLK



BUR

NAV

CARLY

EU FOB CN


Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	OB ESD A SRC E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



DANY

EU FOB CN

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	OB ESD A SRC E
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 JPN 21.5-31 • KOR 230-310



FUC



LBL LGN LLC WHT



LBL



BLK FUC MUG MUL WHT

SAMANTHA

EU FOB CN

Upper	Nappa Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	OB ESD A SRC E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



✓ Heel height 25mm



BLK



FUC

LBL

LGN


LLC

WHT

SHEILA

EU FOB CN

Upper	Nappa Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	OB ESD A SRC E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



✓ Heel height 25mm



LBL



FUC

WHT

LISBETH

FOB CN

Upper	Nappa Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O2 ESD SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



✓ Heel height 25mm



LLC



BLK

LBL

PFU

WHT

ALIZA

EU FOB CN

Upper	Synthetic Leather, Textile
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	OB ESD A SRC E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



✓ Elastic upper



WHT



BLK

FUC

LBL

LLC

LMG

NILDA

FOB CN

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



BLK




LGN

WHT

LINA

EU FOB CN

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	OB ESD A SRC E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



LBL



BLK

FUC

LGN

LLC

MUL

WHT

HESTIA 01

FOB CN

Upper	Nappa Action Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



WHT



HENNY

EU FOB CN

Upper	Synthetic Leather
Outsole	TPR
Lining	Mesh
Footbed	SJ foam footbed
Category	OB SRA E
Size range	EU 39-47 • UK 6.0-12.0 • US 6.5-13.0 JPN 25-31 • KOR 255-310



LGR



NAV

SUNNY

EU CN

Upper	Synthetic Leather
Outsole	TPR
Lining	Mesh
Footbed	SJ foam footbed
Category	OB SRA E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



FUX



LBL

LGR

LIC

KASSIE

EU FOB CN

Upper	3D-Mesh
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 JPN 21.5-31.5 • KOR 230-315



BLK



BLU



DGR



WHT



JUNO 01 TLS

EU FOB CN

Upper	3D-Mesh
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 FO SR
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 JPN 21.5-31.5 • KOR 230-315



RECYCLED MATERIALS

✓ TLS closing



DGR



BLK

BLU

WHT

JUNO 01

EU FOB CN

Upper	3D-Mesh
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 FO SR
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 JPN 21.5-31.5 • KOR 230-315



RECYCLED MATERIALS



BLU



BLK

WHT

JUNO 01 SLIP ON

EU FOB CN

Upper	Knitted Recycled Textile
Outsole	Phylon/Rubber
Lining	Recycled Mesh
Footbed	SJ foam footbed
Category	O1 FO SR
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



RECYCLED MATERIALS



BLK



NAV



ODILE

EU FOB CN

Upper	Action Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	Mesh
Category	OB ESD A SRC E
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 JPN 21.5-31 • KOR 230-310



LBL



BLK WHT

CAMILLE

EU FOB CN

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



LGN



BLK FUC LBL LLC WHT

CARINNE

EU FOB CN

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	OB ESD A SRC E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



FUC



LBL

LGN


LLC

WHT

ALIZEE

FOB CN

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	OB ESD A SRC E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



LLC



FUC

LBL

WHT

SUN OB SLP

FOB CN

Upper	Synthetic Leather
Outsole	PU
Lining	N/A
Footbed	SJ foam footbed
Category	OB SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 JPN 21.5-31.5 • KOR 230-315



BLK




WHT

EVELYN

EU FOB CN

Upper	Mesh
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



✓ Slip-on

LBL



BLK

FUC

WHT

BESTNURSE

FOB CN

Upper	Mesh, Synthetic
Outsole	EVA
Lining	Textile
Footbed	Oxy Basic
Category	-
Size range	EU 35-45 • UK 3.0-10.5 • US 3.0-11.5 JPN 21.5-29 • KOR 230-295



WHT

LAUREN

FOB

Upper	Mesh, Synthetic
Outsole	EVA
Lining	Mesh
Footbed	Mesh
Category	-
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



BLK



WHT

**SAFETY
JOGGER**
PROFESSIONAL

PROFESSIONAL



MEDIUM

APPLICATION

COOL

EU CN

Upper	Nappa Leather
Outsole	Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O2 ESD SRC FO HRO
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 JPN 21.5-31.5 • KOR 230-315



BLK



WHT



JUSTIN

EU F0B CN

Upper	Synthetic Leather
Outsole	PU/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC
Size range	EU 39-47 • UK 6.0-12.0 • US 6.5-13.0 JPN 25-31 • KOR 255-310



ELA

EU F0B CN

Upper	Synthetic Leather
Outsole	PU/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



✓ Shock absorbing

NAV



LGR



✓ Shock absorbing

LIC



FUX

LBL

LGR



BERLIN

EU FOB CN

Upper	Nappa Leather
Outsole	PU/Rubber
Lining	Microsuede
Footbed	SJ foam footbed
Category	O2 SRC
Size range	EU 36-48 • UK 3.5-13.0 • US 4.0-13.5 JPN 22.5-31.5 • KOR 235-315



FORMAL CHOICE



BLK

DUBLIN

EU FOB CN

Upper	Nappa Leather
Outsole	PU/Rubber
Lining	Microsuede
Footbed	SJ foam footbed
Category	O2 SRC
Size range	EU 39-48 • UK 6.0-13.0 • US 6.5-13.5 JPN 25-31.5 • KOR 255-315



FORMAL CHOICE



BLK

DOMINIQUE

EU FOB CN

Upper	Action Leather, Mesh
Outsole	PU/Rubber
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 JPN 21.5-31.5 • KOR 230-315



✓ Shock absorbing



BLK

PATRICIA

EU FOB

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	Oxy Hybrid
Category	O1 ESD SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



LPK



BLK

GBL

ROMAN

EU FOB CN

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	Oxy Hybrid
Category	O1 ESD SRC
Size range	EU 39-47 • UK 6.0-12.0 • US 6.5-13.0 JPN 25-31 • KOR 255-310



BLK



GRY

NAV



CHAMP O2 LOW

EU FOB CN

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O2 ESD SRC FO
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 JPN 21.5-31 • KOR 230-310



✓ Elastic laces

WHT



BLK

CLARK

EU FOB CN

Upper	Action Leather
Outsole	Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC
Size range	EU 39-47 • UK 6.0-12.0 • US 6.5-13.0 JPN 25-31 • KOR 255-310



BLK



NAV

PAOLA

EU FOB CN

Upper	Action Leather
Outsole	Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



NAV



BLK

FUX

EVAN

EU FOB CN

Upper	Action Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	EVA
Category	O1 ESD HRO SR
Size range	EU 39-47 • UK 6.0-12.0 • US 6.5-13.0 JPN 25-31 • KOR 255-310



BLK



WHT

EVA

EU FOB CN

Upper	Action Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	EVA
Category	O1 ESD
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



WHT



BLK

SOPHIE

FOB CN

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



PFU



BLK LBL LGN LLC WHT

ELIANE

EU FOB CN

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Footbed	SJ foam footbed
Category	O1 ESD SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 JPN 21.5-26.5 • KOR 230-270



FUC



BLK LBL WHT



Hand hygiene instructions
in English and Chinese
at the entrance of the kitchen

**SAFETY
JOGGER**
PROFESSIONAL

PROFESSIONAL



HEAVY

APPLICATION



OXYCLOG

EU FOB CN

Upper	TPE
Outsole	TPE
Toecap	-
Footbed	SJ foam footbed
Category	OB ESD A SRA E
Size range	EU 35/36-47/48 • UK 3.0/3.5-12.0/13.0 • US 5.5/6.0-13.0/13.5 JPN 21.5/22.5-31/31.5 • KOR 230/235-310/315



✓ Autoclavable



BLU



BLK EBL EGN FUX LBL
LGN LIC RED WHT

OXYSAFE

EU FOB CN

Upper	Expanded EVA
Outsole	EVA
Toecap	Composite
Footbed	SJ foam footbed
Category	PB ESD A SRC E
Size range	EU 35/36-45/46 • UK 3.0/3.5-10.5/11.0 • US 5.5/6.0-11.5/12.0 JPN 21.5/22.5-29/30 • KOR 230/235-295/300




✓ Toe cap

NAV



BLK

WHT



BESTCLOG

FOB CN

Upper	Expanded EVA
Outsole	EVA/Rubber
Toecap	-
Footbed	SJ foam footbed
Category	OB SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 JPN 21.5-31 • KOR 230-310



BLK



WHT



OXYVA

EU FOB CN

Upper	Expanded EVA
Outsole	Expanded EVA
Toecap	-
Footbed	Comfort Footbed
Category	OB ESD A E SR
Size range	EU 35-46 • UK 3.0-11.0 • US 3.0-12.0 JPN 21.5-30 • KOR 230-300



✓ Lightweight


EBL



SMOOTH

EU FOB CN

Upper	Expanded EVA
Outsole	EVA/Rubber
Toecap	-
Footbed	-
Category	OB ESD A SRC E
Size range	EU 34-47 • UK 2.0-12.0 • US 2.5-13.0 JPN 21.0-31 • KOR 225-310



✓ ESD

EGN



SAFETYCLOG

FOB CN

Upper	Expanded EVA
Outsole	EVA/Rubber
Toecap	Composite
Footbed	SJ foam footbed
Category	SB SRC E
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 JPN 21.5-31 • KOR 230-310



✓ Toe cap

BLK



SONIC

EU FOB CN

Upper	Expanded EVA
Outsole	EVA
Toecap	-
Footbed	-
Category	OB ESD A SRC E
Size range	EU 35-46 • UK 3.0-11.0 • US 3.0-12.0 JPN 21.5-30 • KOR 230-300



BESTLIGHT1

EU FOB CN

Upper	Expanded EVA
Outsole	EVA/Rubber
Toecap	-
Footbed	SJ Basic 2
Category	OB SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 JPN 21.5-31 • KOR 230-310



✓ ESD



EGN



BLK



WHT



WHT

**SAFETY
JOGGER**
PROFESSIONAL

PROFESSIONAL